use in most areas of the dairy industry. It effectively controls houseflies, stable flies, wasps, mosquitoes, gnats, ants, silver fish, flying moths, and cockroaches when used as directed.

General Procedure to Control Flies, Mosquitoes, Wasps, Gnats

Close doors and windows, or at least those on the windward side to prevent waste. Ascertain cubic feet of space to be treated. Directing the aerosol mist upward, walk completely around the area during the time required. Keep area closed for 10 minutes. Repeat as necessary. Follow all precautions and recommended dosages described below for specific applications. Do not remain in treated areas and venulate the area after treatment is completed.

In Dairy Barns. After cows are stanchioned, close all doors and windows. Remove or cover all milking equipment. Walk completely around the barn during the time required, directing the aerosol upward into the air over the cows, not in eyes. Apply for 2 seconds per 1,000 cubic feet of space. Keep barn closed for 10 minutes. Repeat application before each milking for the first two days and then every third day or as necessary. Do not remain in treated areas and ventilate the area after treatment is completed.

For Bull and Calf Pens-Stables-Kennels. Direct aerosol upward into the air over animals. Follow general procedure outlined above. Apply for 2 seconds per 1,000 cubic feet of space.

For Hog House. Follow general procedure outlined above. Direct aerosol into air not on animals. Apply for 5 seconds per 1,000 cobic feet of space.

In Dairy and Food Processing Plants. Follow general procedure outlined above. Apply for 2 seconds per 1,000 cubic feet of space. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as espace spray in these areas, apply only when plant is not in operation.

....

.....

.....



A HI-PRESSURE AEROSOL

INSECT KILLER

ACTIVE INGREDIENTS Pyrethrins	0.5%
†Technical piperonyl butoxide	
N-Octyl bicycloheptene dicarboximide	
†Equivalent to 0.8%(butylcarbityl) (6-propylpiperonyl ether and 0.2% of other related compounds.)	

KEEP OUT OF THE REACH OF CHILDREN CAUTION

- Do not spray directly on food, cooking or milking utensils.
- Do not use this product in any room where live fish or other aquatic or cold blooded life is kept.
- This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

See right hand panel for additional cautions

Net Weight 2 LBS. 8 OZ.

EPA Reg. No. 1187-98

Donature Of

VIRGINIA CHEMICALS INC.

Portsmouth, Virginia 23703

Special Procedure For Control of Silver Fish, Ants, Cockroaches, Crickets

Ascertain square feet of space to be treated. Open all drawers, cabinets, closets, etc. Direct D-30 mist toward insects, into cracks, crevices and ant trails, door sills and window frames. This treatment is to activate the insects and should be a rapid operation. For initial cleanup of heavy infestations, apply for 30 seconds per 100 square feet of floor space.

Apply the remaining dosage as a space aerosol at 3 to 5 seconds per 1,000 cubic feet of space. Close room for at least an hour. Treat weekly for four weeks and biweekly thereafter to prevent reinfestation or as necessary. Do not spray directly on clothes, fabrics or other materials.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

CAUTION

This cylinder contains a liquid under pressure. An operating temperature of 70°-75°F. is recommended for best results. Do not drop the container or expose it to temperatures higher than 135°F.

DOT — 39 SP 6151 NRC 144/180 M1038
Federal law forbids transportation if refilled —
penalty up to \$10,000 fine and 10 years imprisonment —
(18 U.S.C. 831-835)

27-222 775

EPA Est. 1187-VA-,

Made in U.S.A.