


187-100

PROFESSIONAL INSECTICIDE

LETHALAIRE®

B-13



**Kills: Mosquitoes, Flies, Gnats, Wasps,
Roaches, Water Bugs, and Silverfish**

CAUTION

KEEP OUT OF REACH OF CHILDREN

See back panel for additional cautions

ACTIVE INGREDIENTS:

* + (5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.500% w/w
Related compounds	0.068%
Aromatic petroleum hydrocarbons	0.662%
Petroleum distillate	18.750%
INERT INGREDIENTS:	80.020%
	100.000%

* Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans.

+ U. S. Patent No. 3,465,007

Net Weight 30 oz. (1 lb., 14 oz.)

EPA Reg. No. 1187-100

VIRGINIA CHEMICALS INC.

Portsmouth, Va. 23703

DIRECTIONS FOR USE

This professional insecticide can be used in bakeries, food plants, restaurants, schools, hotels, motels, office buildings, hospitals, and food handling plants.

Remove protective cap. Holding dispenser upright, point valve in desired direction and press dispenser button to spray.

Mosquitoes, Flies, Gnats: Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

Roaches, Water Bugs, Silverfish: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insect where possible. Repeat as necessary.

CAUTION

Use as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

Avoid contamination of food and feedstuff. Cover or remove fishbowls. Remove all pets from area to be treated. Contents under pressure. Do not puncture or throw container into fire or incinerator. Do not expose to temperature above 120°F.