ACCEPTED
with COMMENTS
in EPA Letter Dates:

NOV 2 4 1982

Unfor the Federal Insecticide, Fungicide, and Modenticide Act as amended, for the pesticide registered under EPA Reg. No.

//3'/-/2

DIRECTIONS FOR APPLYING FIHALAIRE A-35

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

IMPORTANT — First read the precautions printed on Right Panel of Label

ENTOMOLOGICAL RECOMMENDATIONS: When applied as an aerosol LETHALAIRE A-35 is recommended for use in tobacco warehouses and factories for the control of the tobacco moth, Ephestia elutella (Hbn.) and the cigarette beetle, Lasioderma serricome. (F.)

GENERAL INFORMATION: LETHALAIRE A-35 applied as an aerosol in warehouse areas kills by contact, and the deposit of insecticide releases a vapor which continues to kill for three to four days. The insecticide volatilizes completely in about two weeks. The vapor will give good control of the tobacco moth and will also kill exposed adult cigarette beetles and young larvae, also destroying the viability of eggs in the later stages of incubation if they are exposed. Because the vapor emitted from this material will kill for several days, it is more effective than a contact insecticide which kills only during the few minutes its particles are suspended in the air.

Tobacco insects are most active between 5.00 P.M. and midnight. For this reason, aerosols applied between 5.00 P.M. and midnight give best results. Large quantities of tobacco may be treated rapidly and with relative economy.

Cigareites made of out digarette tobacco after pilolonged exposure to an atmosphere saturated with DDVP vapor had normal smoking flavor

PREPARATION OF WAREHOUSE AREAS: The preparation of warehouse areas is based primarily on the number of cubic feet of area to be treated. Several LETHALAIRE A-35 units can be mounted and wired in series. This enables two or more units to be activated simultaneously through the use of a single electrical switch. The number of units is based on an application rate of 1.25 grams of LETHALAIRE A-35 per 1000 cubic feet (0.5 gram of DDVP per 1000 cubic feet). A single automatic LETHALAIRE A-35 unit activated for a period of 25 seconds would treat approximately 50,000 cubic feet of area.

Treated warehouses should not be entered for a period of four hours after application, or until aerosol particles have settled.

The mechanical equipment used in the application of this insecticidal composition is covered by United States Patent Number 3 209 950, ewhere by Virginia Chemicals Inc.

LOT NO.

DOT SHIPPING NAME COMPRESSED GAS, n.o.s.

27-323 782V



AN AEROSOL INSECTICIDE CONTAINING 40% VAPONA* FOR THE CONTROL OF TOBACCO INSECTS

*Shell Registered Trademark
ACTIVE INGREDIENTS

2 2-Dichlorovinyl Dimethyl Phosphate (DOVP) ...
Related Compounds
INERT INGREDIENTS



HAZARDOUS TO HUMANS AND DOM Placard must be placed outside of treated area. Poisonous if swallo all of label carefully. Use only as directed. Keep away from heat and

all of label carefully. Use only as directed. Keep away from heat and vapor or liquid on skin. Do not get vapor or liquid in eyes. Keep awa clothing.

ALWAYS USE AN APPROVED GAS MASK WHEN APPLYING: We the Mining Enforcement and Safety Administration (formerly the Institute for Occupational Safety and Health under the provisions PHYSICAL OR CHEMICAL HI


Contents under pressure. Do not use or store near heat or open fla

Exposure to temperatures above 130° F may cause bursting
THIS CYLINDER IS REFILL

E.P.A. EST. 1187-VA-1

Return to Manufacturer for Deposit or Exc A Product of

VIRGINIA CHEMICALS INC. PORT



JT OF REACH OF CHILDREN EXTREMELY HAZARDOUS ANGER! POISON

......

60 04

PANEL FOR ADDITIONAL PRECAUTIONS S TO HUMANS AND DOMESTIC ANIMALS

d area. Poisonous if swallowed, inhaled or absorbed through skin. Read d Keep away from heat and open flame. Do not breathe vapor. Do not get or liquid in eyes. Keep away from feed and food products. Do not get on

ASK WHEN APPLYING: Wear a pesticide respirator jointly approved by fministration (formerly the U.S. Bureau of Mines) and by the National fealth under the provisions of 30 CFR Part 11

SICAL OR CHEMICAL HAZARDS

store near heat or open flame. Do not puncture or incinerate container F may cause bursting
IHIS CYLINDER IS REFILLABLE

THIS CYLINDER IS REFILLMENT.

Placturer for Deposit or Exchange when Empty.

E.P.A. Reg. No. 1187-108

ICALS INC. PORTSMOUTH, VIRGINIA

STORAGE AND DISPOSAL

Do not contaminate will remove feed by storage or disposal. Storaga: Do not use or store near heat or open frame. Disposal. This cylinder is refulable return to manufacturer for deposit or exchange when empty.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

DO NOT CONTACT THE SKIN. Give: Impervious to DDVP should be worn. All skin surfaces should be completely covered with

protective clothing during application
DO NOT INHALE DDVP MIST. What a pesticide respirator jointly approved by the Mining Enforcement Safety Administration and by the National Institute for Occupational Safety and Health for DDVP Protection.
ADEQUATE PERSONAL HYGIENE AND CLEANLINESS are necessary. After applying remove clothing and bathe thoroughly with warm water and soap. Wash clothing before re-use.
DO NOT CONTAMINATE FOOD smoke, eat or chew lobaccoin the operation area.

FIRST AID TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by fouching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

Non-haled — Remove victim to fresh air. Apply respiration if indicated.

Non-skin—Remove contaminated clothing and wash affected areas with soap and water. If in eyes—Flushley is for at feast 15 minutes with water. Call a physician immediately.

CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING. • Keep called transport the patient immediately in the called its proposition of the patient immediately.

patient prone and quiet. • Start artificial respiration immediately if patient is not breathing. • Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS. Symptoms include weakness headache lightness in chest blurred vision non-reactive pin-point pupils salivation, sweating, nauseal combing diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous simulation. If there are signs of parasympathetic stimulation atropine suifate should be injected at 10-minute intervals in doses of it of 2mil igrams until complete atropinization has occurred.

• Morphine is contra-indicated. • Clear chest by postural drainage. • Observe patient continuously for 48 hours. • Repeated exposure to orbitinesterase inhibitor. • Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

345 75957 17 2

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

#OV 2 4 1982

Virginia Chemicals Inc. 3340 West Norfolk Rd. Portsmouth, VA 23703

Attn: Mr. David G. Hall

Dear Mr. Hall:

Subject: Change of Propellent

Lethalaire A-35 Insecticide EPA Reg. No: 1187-108 Lethalaire A-30 Insecticide EPA Reg. No: 1187-67 Appl. Dates: July 22, 1982

The requests for amended formulations for the products referred to above are acceptable and a copy of each Confidential Statement of Formula have been placed in their respective files.

At the next label printing:

- 1. Change the heading "HAZARDOUS TO HUMANS..." to "HAZARDS....".
- 2. It is strongly suggested that the heading "THIS CYLINDER IS REFILLABLE" be changed to read: "THIS CYLINDER IS REFILLABLE BY MANUFACTURER".

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

P.S. The labeling submitted with the subject applications are also acceptable and a stamped copy of each label is enclosed for your records.