


NET WT. 1 LB 14 OZS.



VIRCHEM®
Seventy-seven
INSECTICIDE

**KILLS: FLIES, MOSQUITOES, WASPS,
GNATS, SMALL FLYING MOTHS, ANTS,
ROACHES, SILVERFISH, CRICKETS, FLEAS**

ACTIVE INGREDIENTS:

Pyrethrins	0.5%
Piperonyl butoxide*, technical	4.0%
Petroleum distillates	10.5%

INERT INGREDIENTS: 85.0%

*Equivalent to 3.2% (butylcarbityl) (6-propylpiperonyl) ether and 0.8% of other related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Side Panel for Additional Cautions

VIRGINIA CHEMICALS INC.
PORTSMOUTH, VIRGINIA 23703

EPA Reg. No. 1187-102

EPA Est. 1187-VA-1



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use in homes, motels, hotels, food plants, canneries, bakeries, dairies, milk parlors, restaurants, cafeterias, diners, grocery stores, schools, hospitals, institutions, warehouses, kennels.

FLIES, MOSQUITOES, GNATS, WASPS, AND SMALL FLYING MOTHS: Ascertain the cubic feet of space to be treated. Close doors and windows. Pointing nozzle upward, direct the aerosol mist to all parts of the room, especially around window frames and other light sources which attract these insects. Keep nozzle in continuous motion at least 36 inches from fabrics. Apply for two seconds per 1000 cubic feet of space. Keep area closed for fifteen minutes after each treatment. Do not remain in treated area. Ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

OUT OF DOORS: For temporary protection from mosquitoes and flies, spray along ground and weeds and brambles around the area. Do not spray ornamental shrubbery. Frequent repeated applications may be necessary.

SILVERFISH, ANTS, ROACHES, AND CRICKETS: Ascertain square feet of space to be treated. Open all doors, cabinets, closets, etc. Direct the mist toward insects into cracks, crevices, and trails on door sills and window frames. For initial cleanup, apply for 10 or 15 seconds per 100 square feet of floor space. Follow up with periodic applications as a space aerosol at 3 to 5 seconds per 1000 cu. ft. of space. Close room for one hour. Repeat treatment as necessary. Do not spray directly on clothes, fabrics or other materials.

FLEAS: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices along and behind baseboards, moldings, window and door frames and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment, as needed.

STORED PRODUCT INSECTS
(accessible stages)

FLYING MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL (CHOCOLATE) MOTHS, ANGOUMOUS GRAIN MOTHS: Close doors and windows. Direct aerosol mist to all parts of the room, especially into dark enclosures and around product containers where adult moths may be resting. Use a minimum treatment of six to eight seconds per 1000 cubic feet of space. Keep area closed for 30 minutes after each treatment. Repeat treatment weekly or as flying moths appear. Infested stored food products should be fumigated or treated with an approved product.

CONFUSED FLOUR BEETLES, RICE WEEVILS AND GRANARY WEEVIL: Direct treatment toward insects into cracks, crevices, around machinery, around containers of stored products and other areas that may harbor insects. Hit as many insects as possible. A minimum dosage of 10-15 seconds treating time per 100 sq. ft. of floor space is recommended, leaving treated area tightly closed for at least 45 minutes. Repeat treatment as required.

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENT
HAZARD TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets: birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

27-367 881V