



Seventy-eight

INSECTICIDE
KILLS EXPOSED FLIES MOSQUITOES WASPS
GROATS SMALL FLYING MOTHS ANTS
ROACHES SILVERFISH CRICKETS FLEAS

ACTIVE INGREDIENTS

Pyrethrins	0.5%
Piperonyl butoxide* technical	4.0%
Petroleum distillates	10.5%

*Equivalent to 3.2% (butyl carbonyl-6 propyl)peroxyether and 0.8% of other related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Cautions

VIRGINIA CHEMICALS INC

PORTSMOUTH, VIRGINIA 23703

EPA Reg. No. 1107-128

NET WT 5.025
(142 GRAMS)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use to control: fleas, ticks, feed plate carriers, beetles, dinner, silkworm larvae, codling moth, armyworm, armyworm, tobacco hornworm, bollworm, Emphytrosis, and tobacco cutworm. Kills exposed roaches, flies, gnats, covered flour beetles, red flour beetles, sandworm grain beetles, cedar beetles, Augmented grain beetles, silverfishes. Trap moths, meal worms, cigarette beetles, drugstore beetles, citrus beetles, diamond beetles, fruit beetles, rice weevils, bean weevils, crickets, weevils, maggotines, spiders and small flying insects.

HOW TO USE: Close all windows, shut off air conditioners and fans, prior to treatment. Place can upright on floor in center of area to be treated. For better use, place on a table or stand for best results. A newspaper should be placed under the container to prevent spraying surfaces. Spray until spray meets every bit of surface. When spraying of structures starts, close doors as tightly as possible and leave closed for at least 30 minutes. Repeat treatment as necessary. The entire contents of this can are sufficient to treat a space of 5000 cubic feet of unobstructed space. Do not remove in treated areas and ventilate the area after treatment is completed. Sweep up and destroy fallen insects.

FLEAS: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, around corners and door frames, and treated areas of floor and floor covering. Fresh bedding should be placed in animal pens ten days following treatment. Careless treatment of animals with all approved insecticides is recommended. Repeat treatment as needed.

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.

Hazard: Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENT
HAZARD TO HUMANS AND DOMESTIC ANIMALS


CAUTION

In case of contact, immediately flush skin or eyes with plenty of water. Rinse mouth if bitten by irritation persists. Do not apply directly to food. In processing food handling, handling, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spray spraying to meat packing plants, fisheries and other food processing plants, wash all equipment, handles, shelving, etc., where sprayed food will be handled with potable water. In the home, food processing surfaces and utensils should be cleaned during treatment, or thoroughly washed before use.

Rinse pots, tools and other fish apparatus before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.
27-358-881V



10-22-6
1197-128

