



1187-133

NET WT. 5.0ZS
(142 GRAMS)

VICHEM eighty-one

INSECTICIDE

KILLS EXPOSED FLIES, MOSQUITOES, WASPS,
GNATS, SMALL FLYING MOTHS, ANTS,
ROACHES, SILVERFISH, CRICKETS, FLEAS

ACTIVE INGREDIENTS	
Pyrethrin	0.5%
Piperonyl butoxide, technical	4.0%
Petroleum distillates	10.5%
INERT INGREDIENTS	85.0%
*Equivalent to 3.2% (butylcarbityl (6-propylpiperonyl) ether and 0.8% of other related compounds)	

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel for Additional Cautions

VIRGINIA CHEMICALS INC.
PORTSMOUTH, VIRGINIA 23703

EPA Reg. No. 1187

EPA Est. 1187-VA-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use in homes, markets, hotels, food plants, restaurants, bars, dairies, packing plants, retail stores, laboratories, stores, grocery stores, schools, hospitals, institutions, warehouses, hotels, empty trucks and railroad cars.

Kills exposed roaches, flies, gnats, crickets, fleas, bed bugs, earwigs, silverfish, cockroaches, spiders, ticks, mosquitoes, gnats, wasps, small flying moths, and other insects. Kills exposed flies, gnats, crickets, fleas, bed bugs, earwigs, silverfish, cockroaches, spiders, ticks, mosquitoes, gnats, wasps, small flying moths, and other insects.

HOW TO USE: Check and set doors, shut off air conditioners and fans, prior to treatment. Place can upright or floor in center of area to be treated. For home use, place on a table or stand for best results. A newspaper should be placed under the container to prevent staining surfaces. Snap back open nozzle over top of container. When discharge of insecticide starts, close area as tightly as possible and leave closed for at least 30 minutes. Repeat treatment as necessary. The active contents of this can are sufficient to treat a space of 5000 cubic feet of unobstructed space. Do not remain in treated area and ventilate the area after treatment is completed. Sweep up and destroy taken insects.

FLEAS: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved fleaicide is recommended. Repeat treatment as needed.

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.
Disposal: Do not reuse empty container. Empty container and put in trash collection.

PRECAUTIONARY STATEMENT HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, laboratories and other food processing plants, wash all equipment, fixtures, shelving, etc. where animal food will be handled, with potable water. In the home, all food processing surfaces and utensils should be cleaned during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.