The product as received is a concentrate and should be diluted before use. Product is not compatible with soap or other detergents.

To be used at regular intervals to thoroughly clean, disinfect and deodorize all floors, walls, bathroom fixtures, kitchen appliances, hospital rooms, hospital equipment, as well as similar areas in food processing plants. After use, rinse well with potable water.

DANGER: Harmful if swallowed. Handle with care. Causes eye damage and skin irritation. Do not get in eyes, on skin or clothing.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

GER DETERGENT PHI

ACTIVE INGREDIENT

Tetradecyl dimeth Dodecyl dimethyl Hexadecyl dimeth Tetrasodium ethy Sodium metasilic Sodium xylene su Essential oils

INERT INGREDIENTS





| | RIU CO |
|--|----------------------|
| MICIDAL CLEANER | Use |
| IT • DISINFECTANT • DEODORIZER HENOL COEFFICIENT 10 A.O.A.C. | of v infe surf |
| TS11.0%thyl benzyl ammonium chloride2.0%yl benzyl ammonium chloride1.6%thyl benzyl ammonium chloride0.4% | Usa ofv odo |
| ylenediamine tetraacetate 4.0° ₀ 1.9% 1.9% 1.9% 0.6% 0.6% 0.6% 0.5% | Pas tion for I |
| S: | and Cho |
| DANGER: EP OUT OF REACH OF CHILDREN | Pse 154 |
| Precautionary information on Left Panel | Rin: and |

ncenuse. soap

) thordorize tures, ooms, imilar After **۲.**

landle d skin kin or

immenty of eyes, h con-

large lin sodrink cohol.

GERMICIDAL CLEANER

DETERGENT • **DISINFECTANT** • **DEODORIZER** PHENOL COEFFICIENT 10 A.O.A.C.

| ACTIVE INGREDIENTS | . 11.0% |
|--|---------|
| Tetradecyl dimethyl benzyl ammonium chloride | |
| Dodecyl dimethyl benzyl ammonium chloride | 1.6% |
| Hexadecyl dimethyl benzyl ammonium chloride | 0.4% |
| Tetrasodium ethylenediamine tetraacetate | 4.0% |
| Sodium metasilicate | 1.9% |
| Sodium xylene sulfonate | . 0.6% |
| Essential oils | 0.5% |
| INERT INGREDIENTS: | |

DANGER:

KEEP OUT OF REACH OF CHILDREN See Precautionary Information on Left Panel

 $\bullet \bullet \bullet$

DIRECTIONS FOR USE:

Use .78% or 1.0 ounces per gallon of water for general cleaning, disinfecting and deodorizing of all hard surfaces.

Use 1% or 1.28 ounces per gallon of water to clean, disinfect and deodorize hospitals and medical areas.

.0%

Passes the Use Dilution Confirmation Method, A.O.A.C. at 1 to 128 for both gram positive Staph aureus and gram negative Salmonella Choleraesuis. At 1-100 will kill Pseudomonas Aeruginosa (ATCC 15442).

Rinse empty container with water and discard it.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

EPA Reg. No. 1190-42