DIRECTIONS FOR USE

A STATE OF THE STA

It is a violation of Federal Law to use this product in a manner inconsis

Select the proper dilution of this product for your use from the directions below.

Apply the use solution with a clean map, sponge, cloth, squeegee or mechanical scrubber or mechanical spraying device.

Prepare fresh use solution delly. Do not reuse solutions. Discard solutions when they become visibly solled. For distinfection, thoroughly wet the surfaces to be treated. Surfaces must remain moist for at least 19 minutes to assure proper germicidal action. If desired, surfaces may be rinsed with clean water or wiped with a clean, damp cioth to remove suspended soits.

This product may be used for cleaning and disinfecting hard, non-porous, inenimate environmental surfaces (glass, metal, glazed porcelain, linoleum, tile, smooth leather, vinyl, enameled and finished wood surfaces) on walls, floors, appliances and furnishings.

This product is not for use on medical device surfaces.

CLEANING

To clean and decdorize or to pre-clean prior to disinfection: Depending on the soil level of the area to be cleaned, use 8 to 16 oz. of this product per gallon of water.

DISINFECTING

. . . .

. . . .

Hospitals, Veterinary Clinics, Nursing Homes, and Other Medically related uses: Use 1 part of this product per 22 parts of water (5 1/2 oz./gsl.) for one-step cleaning and disinfection of areas with light to medium soil loads. For heavily soiled areas, precisen as described above and then disinfect with this product at 1 part to 31 parts water (4 oz./gal.).

Industrial Areas, Barber Shops, Restrooms, Restaurants, Food and Mest Processing Plants (non-food processing areas), Public Rooms, other non-medical uses: Precises surfaces. Then district with a solution of 1 part of product in 50 parts of water (2 1/2 oz/gal.). Alternatively, clean and disinfect in one operation using 5 1/2 oz. of this product per gallon water.

Decidorizing Garbage Cans. Garbage Trucks, Industrial Waste Receptacles, and Garbage Handling Equipment. It is especially important to precise for the product to perform properly. Then, apply a wetting concentration of 12 oz. of this product per gallon of water.

For mildew control: Follow directions for hospital disinfection. Repeat treatment every seven days or when new growth appears.

This product may be used through automatic floor scrubbing equipment. This product must not be used on food contact surfaces.

NET CONTENTS - GALLON(S): ☐ 1 ☐ 5 ☐ 55



L.G.C.

LEMON ODOR DISINFECTANT-DEODORANT Killis Paeudomonas, Salmonella and Stanhylococcus.

ACTIVE INGREDIENTS:

n-Alkyl (58% Cya. 28% Cya. 14% Cya) dimethyl benzyl ammonium chloride ... 2 50% INERT INGREDIENTS .. 97.50%

TOTAL INGREDIENTS 100.00%

EPA Reg. No. 1190-47

EPA Est. No. 1190-MO-01 This disinfectant is effective at a dilution of 4 oz/gal. (1-31) against Pseudomonas seruginosa PRD-10, Salmonella choleraseus ATCC 10708, and Staphylococcus sureus ATCC 9338 when tested by the A.O.A.C. Use dilution Test bigfined for pre-cleaned, hard, non-porous, nenimate environmental surfaces.

This product may be used for cleaning and deodorizing, one-step cleaning and distribution, or distribution of pre-cleaned, non-porous. ng and disinfection, or disi

KEEP OUT OF REACH OF CHILDREN WARNING

.....

٠..

....

....

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. If in eyeas Hold eye open and rinte stowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 If the operar Hold eye open and rinte stowly and gentify with water for 15-20 minutes. Remove contract busses, if present, after first 5 minutes, then or continue rinsing eye. Call a polson control center or doctor for treatment advice. If an advantage of contractive contractive control center or doctor from the present advice, if a water for 15-20 minutes. Call a polson control center or doctor from the desired control center or doctor from mediately for treatment advice. Here present a given or treatment advices, if a small control center or doctor. Do not include vomitting unless told to do so by the polson control center or doctor. Do not give anything by mouth to an unconscious person. If fullested Move person to treath air. If person is not breathing call 911 or assultance, then give artificial respiration, protentably by mouth-to-mouth, if possible. Call a poison control center or doctor for tenture resemant advice. NOTE TO PHYSICIAM: Probable messes demage may contraindicate the use of gastric levege. 804/09-19-2003

SEE RIGHT PAHEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



ant reduces the surface tension of water, improving its wettability. Microbes are capable of ness reproduction in sub-visible pores, acratches and cracks of surfaces. The excellent wettability of his product improves the penetration of the use solution into areas that otherwise might not be reached. This disinfectant is effective against a wase variety of gram positive and gram negative becteris. It is also in expallent deodorant and is especially effective in controlling odors that are becteriel in origin. Hes a Pleasant lumon odor.

e. Nadie •

This disinfectant mixes with water to form clear, stable use solutions. Use solutions are non-corrosi and non-staining to plastic, synthetics, enamel, tile and most common metals.

STORAGE AND DISPOSAL

PROMINITIONS: DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL, OPEN DUMPING IS PROMINITED.

PRETICIDE DISPOSAL: Pecticide wastes are acutaly hazardous. Improper disposal of excess pesticide, space or minimum of riments is a violation of Federal Law. If these weaths cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL -- Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procadures. Pleatic Containers: Triple rines (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerals, or if allowed by state and local authorities. burn. If burned, stay out of smoke. FOR 1 GALLON OR LESS: Do not rouse empty container (bottle, can, bucket). Wree (container) and put in trash.

PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS WARNING

CAUSES SKIN IRRITATION AND SUBSTANTIAL BUT TEMPORARY EYE INJURY. Do not get the eyes, on skin, or on clothing. West protective eyeweer (poggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling. Harmful if inhaled. Avoid breathing apray mist. Harmful if swellowed. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge effluent containing this (y)product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the re-quirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting suque were not a reasonar rounais partiege commences systems (MPUCS) permit and the permitting sur-tionity has been notified in writing prior to discharge. Do not discharge efficient containing this product sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of quipment or by disposing of wastes.