

Reg no: 1190-53

PM-32

172

PEX-O-DINE 1.75

DISINFECTANT-CLEANER-SANITIZER-DEODORIZER

With Organic Soil and 400 ppm Hard Water Tolerance for Hospitals, Institutions, Industrial, School, Dairy, and Other Farm Use

ACTIVE INGREDIENTS:

Alpha-(p-nonylphenyl)-Omega-hydroxypoly(oxyethylene)-iodine Complex
(Providing 1.75% titratable iodine)

18.0

INERT INGREDIENTS:

81.9
100.0

EPA Registration No. 1190-53

EPA Establishment No. 1190-MO

Hand Sanitizing — For the hands and feet of cutting operations. Rinse hands and immerse in a 1oz. (30 ml) solution per 10 gallons of water solution (25 ppm) titratable iodine.

Retort Cooling Water — For canning operations — Add 1/2 oz. (14 ml) sanitizer per 5-10 gallons of retort water during the final cooling period to control slime and odor-causing bacteria.

Poultry Drinking Water Sanitization — Add 1/2 oz. (14 ml) product per 10 gallons of drinking water.

Shoe Bath Sanitizer — Prevent tracking of harmful organisms into animal areas. Scrape shoes and place in a shoe bath containing this product for 30 seconds prior to entering area.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER:

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Do not breathe spray mist. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- DO NOT REUSE EMPTY CONTAINER
- RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DETERGENT AND DISCARD IN TRASH COLLECTION

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

For Sale For Use And Storage By Maintenance Personnel Only



PECK'S

PRODUCTS COMPANY

610 E. CLARENCE, ST. LOUIS, MISSOURI 63147

NET CONTENTS: GALLON

BEST AVAILABLE COPY

PEX-O-DINE 1.75

DISINFECTANT-CLEANER-SANITIZER-DEODORIZER

Organic Soil and 400 ppm Hard Water Tolerance for Hospitals, Institutional, Industrial, School, Dairy, and Other Farm Use

ACTIVE INGREDIENTS:

Alpha-(P-nonylphenyl)-Omega-hydroxypoly(oxyethylene)-iodine Complex 18.05%
(Providing 1.75% titratable iodine)

INERT INGREDIENTS:

81.95%
100.00%

Registration No. 1190-53

EPA Establishment No. 1190-MO-01

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse.
Not allowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.
Call a physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory depression and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

For Sale For Use And Storage By Maintenance Personnel Only



NET CONTENTS: GALLONS

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply this product with a cloth, mop or mechanical means. When applied with a mechanical spray device, solution must be sprayed on and thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solutions should be prepared daily or when the solution becomes less than 1%.

This product is a proven, one-step, ready-to-use, potent sanitizer-deodorizer in the presence of moderate amounts of organic soil and up to 400 ppm hard water.

DISINFECTION — Hospitals, Veterinary Clinics, and Other Health Care Institutions, Institutions, Industry, Schools, Farm Premises, and Poultry Houses:

Apply 1/2 oz. per gallon iodine disinfectant to walls, floors, and other hard (inanimate) nonporous surfaces such as tables, chairs, counter-tops, porcelain, sinks and bedframes. For heavily soiled areas a preliminary cleaning is required.

For farms and poultry use, prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, tanks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry or other animals or employ equipment until treatment has been absorbed set or dried.

Sanitizing — Meat and food processing equipment and utensils: Remove heavy soils by flushing, scraping or mopping. Wash with 1/2 oz. per gallon of this product or other food cleaners. Rinse with clean water and sanitize surfaces with 1/2 oz. of this product per 5 gallons of water (25 ppm titratable iodine) for a minimum of 10 minutes. Contact with solution for 1-2 minutes. Drain well and air dry. No potable water rinse is required.

dated 1/15/85

*DO NOT REVI...
Passed by Dept Labeling Dated 82-2*