

# TOXAPHENE

# 6 EMUL

## ANTIDOTE

**INTERNAL:** Give one tablespoonful of salt in a glass of warm water, and repeat until vomit fluid is clear.

**EXTERNAL:** Wash with soap and water.

## WARNING

May be fatal if swallowed. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Keep clothing free from residues. Wash thoroughly. Avoid contamination of feed and foodstuffs.

## WARNING

Toxaphene is extremely hazardous to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not store near feed and foodstuffs. Do not apply to dairy animals or to forage or feed crops to be fed dairy animals or animals being finished for slaughter. Cotton crops which have received late applications of this insecticide should not be grazed by dairy animals or animals being finished for slaughter.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Not for use or storage in or around the home.

Do not use, pour, spill or store near heat or open flames.

3/30/71  
1191-34

CONTAINS 6 LBS. TOXAPHENE, PER GALLON.

### ACTIVE INGREDIENTS:

Toxaphene\* ..... 58.5%

Xylene ..... 37.5%

### INERT INGREDIENTS:

Total ..... 100.0%

\*Technical Chlorinated Camphene (Chlorine content 67 to 69%)

## WARNING

## KEEP OUT OF REACH OF CHILDREN

See side panels for additional precautions and antidote statement.

### NOTICE

The manufacturer guarantees and warrants that the active ingredients and the minimum active ingredient content and the net weight of the contents are as stated and that the directions, warnings and other statements on this label are reasonably and fairly based upon responsible testing of effectiveness, of toxicity to plants and to laboratory animals and of residue remaining on food crops. The manufacturer makes no other express or implied guarantee, warranty or representation whatever, of a similar or different sort and none is to be inferred by the purchaser or user. Neither Carolina Chemicals, Inc. nor the seller shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the careless or improper handling, storage or use of this material whether used singly or in combination with other materials. The buyer (or user) assumes and agrees to accept all risk and liability resulting from such handling, storage or use. No modification of this paragraph is authorized except by specific reference to this paragraph in writing by an officer of the manufacturer.

USDA Reg. No. 1191-34

Mix Toxa  
ing the m  
proper m  
no free o  
MIXTUR  
fore usin

This prod  
If applied  
gallons o  
good cov  
amount o  
suggested  
used.

COTTON  
small  
rapid  
with v  
tively

Consult y  
Extens

# EMULSIFIABLE

# 6

8/30/71  
1191-34

CONTAINS 6 LBS. TOXAPHENE, PER GALLON.

**ACTIVE INGREDIENTS:**

Toxaphene\* ..... 58.5%

Xylene ..... 37.5%

**INERT INGREDIENTS:**

Total ..... 4.0%

100.0%

\*Technical Chlorinated Camphene (Chlorine content 67 to 69%)

## WARNING

### KEEP OUT OF REACH OF CHILDREN

See side panels for additional precautions and antidote statement.

#### NOTICE

The manufacturer guarantees and warrants that the active ingredients and the minimum active ingredient content and the net weight of the contents are as stated and that the directions, warnings and other statements on this label are reasonably and fairly based upon responsible testing of effectiveness, of toxicity to plants and to laboratory animals and of residue remaining on food crops. The manufacturer makes no other express or implied guarantee, warranty or representation whatever, of a similar or different sort and none is to be inferred by the purchaser or user. Neither Carolina Chemicals, Inc. nor the seller shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the careless or improper handling, storage or use of this material whether used singly or in combination with other materials. The buyer (or user) assumes and agrees to accept all risk and liability resulting from such handling, storage or use. No modification of this paragraph is authorized except by specific reference to this paragraph in writing by an officer of the manufacturer.

USDA Reg. No. 1191-34

#### MIXING DIRECTIONS

Mix Toxaphene Emulsifiable with water by agitation or by circulating the mixture through the spray pump and back into the tank. A proper mixture will have the appearance of a milky emulsion with no free oil on the surface. Agitate the mixture while spraying. IF MIXTURES ARE ALLOWED TO STAND, RE-AGITATE them before using, until a uniform emulsion is formed.

This product may be applied either by aircraft or ground equipment. If applied by air dilute with water to give approximately 3 to 10 gallons of diluted spray per acre, consistent with crop growth and good coverage. If applied by ground equipment mix with whatever amount of water your spray rig delivers effectively — however it is suggested that a minimum of 6 gallons of diluted spray per acre be used.

#### SUGGESTIONS FOR USE

**COTTON PESTS:** To control boll weevil, thrips, cotton fleahoppers, small bollworm, cotton leafworm, Southern Green Stink Bug, rapid plant bug, Lygus bug, and to suppress cotton aphid, mix with whatever amount of water your spray rig delivers effectively and apply 4 pints of this material per acre.

Consult your local State Agricultural Experiment Station or State Extension Service Specialists.