

200 gal. size

Net Weight 16 lbs.

FLIGHT BRAND PEACH SPRAY
Containing
PARATHION AND DOW "MIKE" SULPHUR
2-6

ACTIVE INGREDIENTS:		
Parathion*	1191-88 ⁴ 3.758
Sulphur	71.258
INERT INGREDIENTS:	<u>25.008</u>
	Total	100.008

*(O,O-diethyl O-P-nitrophenyl thiophosphate)

This bag contains sufficient material for 200 gallons of spray and is equivalent to 2 lbs Parathion (15%) and 6 lbs Dow "Mike" Sulphur per 100 gallons. This dilution is recommended for use only in the southeastern states.

ANTIDOTE

INTERNAL: Give a tablespoonful of salt in a glass of warm water; repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician at once. Atropine sulphate on advice of a physician.

EXTERNAL: If skin is accidentally contaminated, wash thoroughly with soap and warm water immediately.

Directions for Use

1. Petal Fall - When all petals are off and before peach is showing, use 8 lbs of FLIGHT BRAND Peach Spray per 100 gallons of water for control of Plum Curculio, curculio, cat-facing insects and Brown Rot.
2. Shuck Fall or First Cover - When approximately 3/4th of shucks are off (usually 10-12 days after above) repeat as above for control of Plum Curculio, Brown Rot and Scab.
3. Second Cover - Repeat 7-10 days after first cover for control of Plum Curculio, Brown Rot and Scab.
4. Third Cover - Repeat 12-14 days after second cover for control of Plum Curculio, Brown Rot and Scab.
5. Five Weeks Before Harvest - Repeat for control of Plum Curculio, Oriental Fruit Moth and Brown Rot.
6. Three Weeks before Harvest - Repeat for control of Plum Curculio, Oriental Fruit moth and Brown Rot.

WARNING

KEEP OUT OF REACH OF CHILDREN.
 KEEP ALL PERSONS OUT OF THE OPERATING AREA OR VICINITY WHERE THERE MAY BE DANGER OF DRIFT. VACATED AREAS SHOULD NOT BE REENTERED UNTIL THE DRIFTING INSECTICIDES AND VOLATILE RESIDUES HAVE DISSIPATED.
 EXTREMELY HAZARDOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN! RAPIDLY ABSORBED THROUGH SKIN. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WEAR PROTECTIVE GLOVES, CLOTHING AND GOG GLFS. IF SPILLED ON SKIN, WASH IMMEDIATELY WITH SOAP AND WARM WATER. WEAR A MASK OR RESPIRATOR OF A TYPE PASSED BY THE U.S. DEPARTMENT OF AGRICULTURE FOR PARATHION PROTECTION. DO NOT CONTAMINATE FEED AND FOODSTUFFS. WASH HANDS, ARMS AND FACE THOROUGHLY WITH SOAP AND WARM WATER BEFORE EATING OR SMOKING. WASH ALL CONTAMINATED CLOTHING WITH SOAP AND HOT WATER BEFORE RE-USE.
 DO NOT APPLY WITHIN 21 DAYS OF HARVEST. SULPHUR MAY CAUSE INJURY TO FOLIAGE IF APPLIED WHEN TEMPERATURES ARE HIGH. DO NOT MAKE APPLICATION AT THAT TIME.

HAZARDOUS TO FISH AND WILDLIFE. DO NOT APPLY UNDER CONDITIONS FAVORING DRIFT OUTSIDE THE TARGET AREA. USE ONLY FOR THE PURPOSES SHOWN ON THE LABEL.

USDA REG NO. 1191-88

FLIGHT

BRAND®
DIRECTIONS FOR USE

Apply thoroughly at first sign of infestation and repeat as necessary.

Plant	Pest	Dust Per Acre	Residue Tolerance	Days between last Application & Harvest
Beans	Mexican Bean Beetle	10 lbs	10 ppm	-0-
	Leaf hoppers, bean leaf beetle, cucumber beetle, Western bean cutworm, flea beetles & Japanese beetle	20 lbs	10 ppm	-0-
	Corn earworm, army worms, velvet bean caterpillar	20-30 lbs	10 ppm	-0-
	Lima bean pod borer, Lygus and stink bugs	40 lbs	10 ppm	-0-
Cucumbers	Pickle worm & melonworm	10 lbs	10 ppm	-0-
Summer Squash	Cucumber beetles, squash bugs and flea beetles	20 lbs	10 ppm	-0-
Sweet Corn	Corn earworm,* European Corn borer,* fall army worm, Sap beetles & Japanese beetle <small>*When attacking foliage, apply to entire plant and repeat as necessary. When attacking corn silk and ears, apply at 2 to 3 day intervals starting when the first silk appears and repeating until silks begin to dry. Three or more applications may be required depending on severity of infestation. Application of this product to tassel region of corn during the pollen shed period will seriously reduce bee populations.</small>	20-40 lbs	10 ppm	Day of harvest for fresh market ears. 7 days before harvest on forage & husks fed to livestock.
Tomatoes	Tomato fruitworm, fall army worm, flea beetles & leaf hoppers	20 lbs	10 ppm	-0-
Eggplant	Tomato hornworm, European Corn borer & stink bugs	40 lbs	10 ppm	-0-
Peppers				
Potatoes	Colorado potato beetle	10 lbs	10 ppm	-0-
	Leaf hoppers & flea beetles	20 lbs	10 ppm	-0-
	Lygus bugs	40 lbs	10 ppm	-0-

FLEAS ON DOGS AND CATS: Dust liberally over the animal and rub thoroughly into skin. Apply also to feet, between toes and on legs. Dust in and around sleeping quarters and other areas where ticks and fleas occur. Apply at weekly intervals if needed. **AVOID TREATMENT OF KITTENS AND PUPPIES LESS THAN 4 WEEKS OLD.**

FLEAS IN YARDS AND UNDER HOUSES: Dust 1 to 2 lbs per 900 sq. ft. Repeat if necessary at 10 to 14 day intervals.

NET WT. 4 LBS

FLIGHT

BRAND®


FLIGHT

BRAND®



NOTE FOR PHYSICIAN:

CARBARYL IS A MODERATE REVERSIBLE CHOLINESTERASE INHIBITOR. ATROPINE IS ANTIDOTAL.



5% SEV

DUST
Garden Insecticide

Active Ingredients:

Carbaryl 1-naphthyl N-Methylcarbamate

Inert Ingredients:

*Trade-mark of UCC for 1-naphthyl N-methylcarbamate

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if inhaled or swallowed. Do not breathe dust. Avoid breathing of dust. Skin contact may be harmful. Wash hands before eating. Take shower or bath after work. Change to clean clothing daily. Avoid work clothing. Change to clean clothing daily. Avoid foodstuffs. Keep out of reach of domestic animals. No other alkaline material. Do not graze treated fields or other alkaline material. Do not graze treated fields or other alkaline material. Do not graze treated fields or other alkaline material. Do not graze treated fields or other alkaline material.

This product is highly toxic to bees exposed to direct contact. Protective information may be obtained from your local Extension Service.

SEE SIDE PANEL FOR ANTIDOTE

USDA REG. NO. 1191-244



CAROLINA CHEMICAL
WEST COLUMBIA, S.C.

NET WT. 4 LBS. AVDP.

FLIGHT
BRAND®


FLIGHT
BRAND®

FLIGHT
BRAND®



**NOTE
FOR PHYSICIAN:**

SEVINYL IS A MODERATELY
REVERSIBLE CHOLINESTERASE
INHIBITOR.
PHYSOPINE IS ANTIDOTAL.



5% SEVIN^{*}
DUST
Garden Insecticide

Active Ingredients: Carbaryl 1-naphthyl N-Methylcarbamate 5% by wt.
Inert Ingredients: ... 95% by wt.
^{*}Trade-mark of UCC for 1-naphthyl N-methylcarbamate.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if inhaled or swallowed. Do not breathe dust. Do not take internally. Avoid breathing of dust. Skin contact may be harmful. Avoid skin contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily. Avoid contamination of feed and foodstuffs. Keep out of reach of domestic animals. NOTE: Do not use with lime or other alkaline material. Do not graze treated fields or feed treated vines and trash to dairy or meat animals.
This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

SEE SIDE PANEL FOR ANTIDOTE STATEMENT
USDA REG. NO. 1191-244

NOTICE

The manufacturer guarantees and warrants that the active ingredient and the minimum active ingredient content and the net weight of the contents are as stated and that the directions, warnings and other statements on this label are reasonably and fairly based upon responsible testing of effectiveness, of toxicity to plants and to laboratory animals and of residue remaining on food crops. The manufacturer makes no other express or implied guarantee, warranty or representation whatever, of a similar or different sort and none is to be inferred by the purchaser or user. Neither Carolina Chemicals, Inc. nor the seller shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the careless or improper handling, storage, or use of this material whether used singly or in combination with other materials. The buyer (or user) assumes and agrees to accept all risk and liability resulting from such handling, storage or use. No modification of this paragraph is authorized except by specific reference to this paragraph in writing by an officer of the manufacturer

CAROLINA CHEMICALS INC.
WEST COLUMBIA, S. C.