

Sevin* = Sulphur Peanut Dust

5 = 75

ACCEPTED

MAR 17 1965

U.S. DEPARTMENT OF AGRICULTURE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 1191-263

Comment

ACTIVE INGREDIENTS:

I-naphthyl N-methylcarbamate

Sulphur

INERT INGREDIENTS:

Total

*Trade-Mark of UCC for I-Naphthyl N-Methylcarbonate

CAUTION

Harmful if swallowed or in-
taminated clothing daily.

CAUTION - HARMFUL IF INHALED OR SWALLOWED. Do Not Breathe Dust. Do Not Take Internally. Wash hands after use.
Avoid Inhalation or Repeated Breathing of Dust. See Label for First Aid Instructions. Do Not Eat, Drink, or Smoke after use.
Wash hands thoroughly after use. Do not get on face, neck, or hair. Do not get in eyes. Do not get on clothing.
Note for Application: Certain insects are susceptible to repellent action of this product. Atropine is an antidote.
KEEP OUT OF REACH OF CHILDREN AND ANIMALS
AVOID CONTAMINATION OF FEED AND FEEDSTUFFS.

Use this combination insecticide-fungicide for the control of thrip, leafhopper, armyworm and leafspot on peanuts at the rate of 20 to 30 lbs. per acre at (oftener if washed off by rain). Begin applications when insects appear or when first spots appear on the basal leaves.

101

ACCEPTED
MAR 17 1965
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 1191-263

Comment

ACCEPTED WITH COMMENTS