TOXAPHENE METHYL PARATHIO

ANTIDOTE AND FIRST AID TREATMENT

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED PARATHION POISONING SYMPTOMS — SEE PHYSICIAN'S NOTE BELOW

INHALATION: Remove patient from contaminated atmosphere, keep him under continuous observation. Don't wait for doctor, give atropine sulfate tablets at once if symptoms include blurred vision or pinpoint pupils.

SKIN: Immediately remove contaminated clothing and wash skin with soap and water for 15 minutes. Don't wait for doctor, give atropine sulfate tablets at once if symptoms include blurred vision or pin point pupils.

INTERNAL: If swallowed, make patient vomit by giving teaspoonful of salt in a glass of warm water or soapy water. Have victim lie down and keep quiet after vomiting. Don't wait for doctor, give atropine sulfate tablets at once if symptoms include blurred vision or pin point pupils. Don't give atropine unless Parathion symptoms are evident.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PATIENT

PHYSICIAN'S NOTE: Warning symptoms include weakness, headache, chest pain, blurred vision, [illegible] nausea, vomiting, excessive salivation, diarrhea, cramps.

TREATMENT: [illegible]

6-3

CONTAINS 6 LBS. TOXAPHENE
3 LBS. METHYL PARATHION PER GALLON

ACTIVE INGREDIENTS

Toxaphene*	52.3%
O, O-Dimethyl O-p-Nitrophenyl Thiophosphate	26.1%
Xylene	13.8%
	7.8%
INERT INGREDIENTS	
Total	100.0

* Technical Chlorinated Camphene (chlorine content 67 to 69%)

DANGER
POISON

KEEP OUT OF REACH OF CHILDREN

DANGER

CONTINUED [illegible]

DIRECTIONS FOR [illegible]

EQUIPMENT

[illegible]

HENE METHYL PARATHION EC

D TREATMENT

CASES OF SUSPECTED PARA
PHYSICIAN'S NOTE BELOW

nna
lo
n-point p

lo
oc
n point

nt by giving tablets
ve victim be shown
atropine tablets
pupils. Do not

D AN UNCONSCIOUS PATIE

nclude
tion

6-3

CONTAINS 6 LBS TOXAPHENE
3 LBS METHYL PARATHION PER GALLON

ACTIVE INGREDIENTS	
Toxaphene*	52.3%
O, O-Dimethyl O-p-Nitrophenyl Thiophosphate	26.1%
Xylene	13.8%
INERT INGREDIENTS	7.8%
Total	100.0%

*Technical Chlorinated Camphene, Chlorine Content 67-69%

DANGER
POISON

KEEP OUT OF REACH OF CHILDREN

DANGER

[illegible]

This product is toxic [illegible] treatment is called for [illegible] Do not apply when [illegible] is likely to occur. Do not [illegible] conditions [illegible] from areas treated. Do not contaminate [illegible] equipment, dispose of wastes [illegible]

This product is [illegible] residue [illegible] Protective [illegible] Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

EQUIPMENT

[illegible]

INSECTS TIMING & RATES

[illegible]