# GUTHION ENDRIN EC

# 1-1.6

CONTAINS 1 LB. GUTHION
1.6 LBS. ENDRIN PER GALLON

ACTIVE INGREDIENTS

| | |
|---|---|
| O, O-Dimethyl S-((4-oxo 1,2,3-benzotriazin-3(4H)-yl) methyl) phosphorodithioate | 18.2 |
| Endrin (Hexachloroepoxyoctahydro-endo, endo dimethanonaphthalene) | 34.8 |
| Xylene | 46.0 |
| INERT INGREDIENTS | 100.0 |

## DANGER POISON

KEEP OUT OF REACH OF CHILDREN

WARNING — CAUSES BURNS

ANTIDOTE AND FIRST AID TREATMENT

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED GUTHION-ENDRIN POISONING. SYMPTOMS...

SEE PHYSICIAN'S NOTE BELOW.

**INHALATION:** Remove patient from contaminated atmosphere. Keep him under continuous observation. Don't wait for doctor, give atropine (2 tablets) at once if symptoms include blurred vision or pin-point pupils.

**SKIN:** Immediately remove contaminated clothing and wash skin with soap and water for 15 minutes. Don't wait for doctor, give atropine (2 tablets) at once if symptoms include blurred vision or pin-point pupils.

**INTERNAL:** If Swallowed, make patient drink [illegible] salt in a glass of warm water or soapy water. Have victim [illegible] quiet after vomiting. Don't wait for doctor, give [illegible] if symptoms include blurred vision or pin-point pupils. Do not [illegible] unless Guthion-Endrin symptoms are evident.

NEVER GIVE ANYTHING BY MOUTH TO A UNCONSCIOUS PATIENT.

**PHYSICIAN'S NOTE:** Will produce [illegible] pain, blurred vision, pin-point pupils, [illegible] diarrhea and cramps.

**TREATMENT:** Give [illegible] atropine tablets [illegible] 30 tablets at usual [illegible] until [illegible] is controlled. Oxygen [illegible] Do not give [illegible] Do not give [illegible]

## PRECAUTIONS FOR USE

Poisonous if Swallowed, Inhaled or Absorbed Through Skin. Rapidly Absorbed Through Skin. Do not get on eyes, or skin or clothing. Wear natural rubber gloves, waterproof protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Guthion-Endrin protection. Pilots must wear a full face, canister type mask. Keep all unprotected persons out of operating area or vicinity where there may be danger of drift. Vacated areas should not be reentered until dusting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs.

Wash hands, arms and face thoroughly with soap and hot water before eating or smoking. Always bathe promptly with soap and hot water after application of sprays. Wash all contaminated clothing with soap and hot water before reuse. Destroy container when empty. Never reuse. Decontaminate spillage with alkali.

This product is for use only on cotton. Do not graze or feed dairy animals and animals being finished for slaughter on treated cotton or cotton trash. Do not hand pick cotton for [illegible] days after application. Workers entering field within [illegible] days after application should wear protective clothing.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply only when weather conditions favor control and minimize drift beyond the area of application. For aerial application do not [illegible] when wind velocity exceeds [illegible] mph.

## DIRECTIONS FOR USE

[illegible] applied [illegible] be applied [illegible] [illegible]

ACCEPTED WITH COMMENTS