

**POISON—PRECAUTIONS** 

**ALL YOU IF SWALLOWED**  
can kill you if swallowed even in spray mist or dust may be fatal if

**ALL YOU BY SKIN CONTACT**  
can kill you if touched by hands or shed on skin, in eyes or on clothing (rough clothes).

**ALL YOU IF BREATHED**  
can kill you if vapors, spray mist or dust

**DANGERS TO FISH AND WILDLIFE**  
is toxic to fish, birds and other and other wildlife in treated areas. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not wash water by cleaning of equipment, machinery, or wastes. This product is highly toxic when exposed to direct treatment or spray. Protective information obtained from Cooperative Agricultural Extension Service. Apply this product according to this label.

**SIGNS (Symptoms)**  
Some of the signs and symptoms of poisoning are Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose muscle spasms and coma


**NOTE TO PHYSICIAN**  
Antidote—administer atropine sulfate in large doses. TWO TO FOUR mg. intravenously or intramuscularly as needed to overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS

**STOP! READ THE LABEL**



**CAN KILL YOU**

**20 lbs. Net  
DANGER  
KEEP OUT OF  
REACH OF CHILDREN**



# PEACH SPRAY

## Parathion - Captan 2-2

<b>ACTIVE INGREDIENTS:</b>	
Parathion (O,O-diethyl O-p-Nitrophenyl thiophosphate) .....	7.50%
Captan (N-trichloromethylmercapto-4-cyclohexene-1, 2-dicarboximide) .....	25.00%
<b>INERT INGREDIENTS:</b> .....	67.50%
<b>TOTAL</b> .....	100.00%

### NOT FOR HOME USE

#### DIRECTIONS FOR USE

On peaches, use 4 lbs. per 100 gallons of water for control of plum curculio, catfacing insects, brown rot and scab in the full pink bloom, petal-fall, shuck, cover and pre-harvest sprays.  
**NOTE:** For Catfacing Insects Only—reduce rate to 3 1/2 lbs. 100 gallons. Applications at 2 to 4 day intervals may be necessary during bloom to control blossom blight. Repeat application at 7 to 14 day intervals as needed to maintain cover. Continue applications through harvest if conditions favor brown rot. Used at higher rates or in drenching sprays, captan may cause a necrotic spotting of tender immature leaves on certain peach varieties. This type of injury is most likely to occur in the early cover sprays during long periods of warm, cloudy, humid weather. To reduce the hazard of leaf spotting under such conditions, use captan and other spray materials at recommended rates and avoid drenching trees.

MANUFACTURED BY CAROLINA CHEMICALS, INC., WEST COLUMBIA, S. C.

### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. (4) Wear heavy duty, natural rubber gloves.

#### WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator

#### POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas

#### CONTAINER DISPOSAL

Bury spillage; clean up area with strong lye solution. Burn or bury containers; never re-use. If containers are burned, stay out of smoke.

**WHEN USED ACCORDING TO THE RATE GIVEN ON THE LABEL, THIS MATERIAL IS EQUIVALENT TO 2 LBS. OF 15% PARATHION WP & 2 LBS. OF CAPTAN 50W PER 100 GALLONS.**

**DO NOT USE MORE THAN 5 LBS. OF ACTUAL PARATHION PER YEAR.**