



DANGER—POISON—PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts, spray mist or dust may be fatal if swallowed.

CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, birds and other wild life. Birds feeding on treated areas may be killed. Keep out of lakes, streams, ponds. Do not spray where run-off is likely to occur. Do not spray when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of excess. Apply this product only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residue on plants. For more information may be obtained from the County Agricultural Extension Service.

POISON SIGNS (Symptoms)

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and muscle spasms and coma.

FIRST AID TREATMENT

If doctor, physician, clinic or hospital immediately. Explain that the victim has been exposed to parathion. If possible, bring container.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Reduce vomiting by sticking finger down throat by giving salty or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

If symptoms include blurred vision or pinpoint pupils, don't wait for doctor. Give atropine (2 tablets) at once. Do not give atropine unless Parathion symptoms are evident.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PATIENT.

NOTE TO PHYSICIAN

Warning symptoms include weakness, headache, chest pain, blurred vision, pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and cramps.

Antidote: administer atropine sulfate in large doses (200 to 400 mg. intravenously or intramuscularly as soon as cyanosis is overcome). Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

BEST DOCUMENT AVAILABLE

POISON

See side panels for antidote and precautions

NOT FOR HOME USE



CAN KILL YOU

DANGER
KEEP OUT OF REACH
OF CHILDREN

USE ONLY FOR PURPOSES
SHOWN ON THE LABEL

DO NOT CONTAMINATE
FEED OR FOODSTUFFS

PEACH SPRAY Parathion - Captan 2-2

ACTIVE INGREDIENTS:

Parathion (O, O-diethyl O-p-Nitrophenyl thiophosphate)..... 7.50%

Captan (N-trichloromethylmercapto-4-cyclohexene-1, 2-dicarboximide)..... 25.00%

INERT INGREDIENTS:..... 67.50%

TOTAL..... 100.00%

DIRECTIONS FOR USE

On peaches, use 4 lbs. per 100 gallons of water for control of plum curculio, catfacing insects, brown rot and scab in the full pink bloom, petal fall, shuck cover and pre-harvest sprays.

NOTE: For Catfacing Insects Only - reduce rate to 3% lbs./100 gallons. Applications at 3 to 4 day intervals may be necessary during bloom to control blossom blight. Repeat application at 7 to 14 day intervals as needed to maintain cover. Continue applications through harvest if conditions favor brown rot. Used at higher rates or in drenching sprays, captan may cause a necrotic spotting of tender immature leaves on certain peach varieties. This type of injury is most likely to occur in the early cover sprays during long periods of warm, cloudy, humid weather. To reduce the hazard of leaf spotting under such conditions, use captan and other spray materials at recommended rates and avoid drenching trees.

When used according to the rate given on the label, this material is equivalent to 2 lbs. of 15% Parathion WP & 2 lbs. of Captan Sow per 100 Gallons.

Do not use more than 5 lbs. of actual Parathion per year.

MANUFACTURED BY CAROLINA CHEMICALS, INC., WEST COLUMBIA, S. C.

USE ONLY WHEN WE PROTECTIVE EQUIP

(1) Wear water-proof or rubber overshoes. Wear a pesticide respirator. Mining Enforcement (formerly the U. S. National Institute for Health) under the provisions of the Federal Safety Act. (4) Wear heavy duty.

WORK
Keep all unprotected from treated area or in

Vacated areas should drifting insecticides be exposed.

Poisonous if swallowed skin. Rapidly absorb in eyes, on skin or on

Do not rub eyes or if stuck in any way, STOP. Call a doctor (physician) Explain that it parathion and describe a given (see First Aid doctor cannot come hospital.

IMPORTANT! Before wash soap and water arms with soap and drinking. In case of with soap and water.

AFTER WORK, take a Shower, using soap a clothes when leaving so ed clothing. Wash prot equipment with soap prior should be according to instructio

POST I
Consult your State Agr Experiment Station reg

CONTAM
Bury Spillage, clean up tion. Burn or bury c containers are burned, s

DANGER
Vacated areas should not insecticide and volatile r not contaminate feed or

Workers entering field plication should wear pr

EPA Reg. No. 1191-336
EPA Est. No. 1191-9C-1

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

20

POISON

See side panels
for antidote
and precautions

BEST DOCUMENT AVAILABLE



DANGER
KEEP OUT OF REACH
OF CHILDREN

NOT FOR HOME USE

CAN KILL YOU

USE ONLY FOR PURPOSES
SHOWN ON THE LABEL

DO NOT CONTAMINATE
FEED OR FOODSTUFFS

PEACH SPRAY Parathion - Captan 2-2

ACTIVE INGREDIENTS:

Parathion (O.) diethyl O-p-Nitrophenyl thiophosphate 7.50%
Captan (N-trichloromethylmercapto-4-cyclohexene-1, 2-dicarboximide) 25.00%

INERT INGREDIENTS: 67.50%

TOTAL 100.00%

DIRECTIONS FOR USE

On peaches, use 4 lbs. per 100 gallons of water for control of plum curculio, catfacing insects, brown rot and scab in the full pink bloom, petal fall, shuck cover and pre harvest sprays

NOTE: For Catfacing Insects Only - reduce rate to 3 1/2 lbs./100 gallons. Applications at 3 to 4 day intervals may be necessary during bloom to control blossom blight. Repeat application at 7 to 14 day intervals as needed to maintain cover. Continue applications through harvest if conditions favor brown rot. Used at higher rates or in drenching sprays, captan may cause a necrotic spotting of tender immature leaves on certain peach varieties. This type of injury is most likely to occur in the early cover sprays during long periods of warm, cloudy, humid weather. To reduce the hazard of leaf spotting under such conditions, use captan and other spray materials at recommended rates and avoid drenching trees.

When used according to the rate given on the label, this material is equivalent to 2 lbs. of 15% Parathion WP & 2 lbs. of Captan Sow per 100 Gallons

Do not use more than 5 lbs. of actual Parathion per year

MANUFACTURED BY CAROLINA CHEMICALS, INC., WEST COLUMBIA, S.C.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Vacated area should not be reentered until the drifting insecticides & volatile residues have dissipated.

Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Do not get in eyes, on skin or on clothing.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician) or clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking. In case of contact, wash immediately with soap and water.

AFTER WORK: Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respiration should be cleaned and filter replaced according to instructions printed with respirator.

POST TREATED AREA

Consult your State Agricultural Experiment Station or Experiment Station regarding post-treatment areas.

CONTAINER DISPOSAL

Bury or incinerate. Do not reuse. Do not use for any other purpose. Do not use for any other purpose. Do not use for any other purpose.

DANGER

Vacated area should not be reentered until the drifting insecticide and volatile residues have dissipated. Do not contaminate feed or foodstuffs.

Workers entering field within 24 hours after application should wear protective clothing.

EPA Reg. No. 1191-336

EPA Est. No. 1191-SC-1

3-78