DIRECTIONS

Apply powder liberally to body of <u>cat</u> or <u>dog</u>, working in dust by rubbing against the lay of the hair until dust penetrates to skin. Repeat weekly if necessary. Contact ticks with powder.

Do not treat kittens or puppies before a month old.

For kennels and living quarters, dust bedding and floor at rate of 1 ounce per 50 square feet of surface. Repeat as needed.

CAUTION: Harmful if swallowed or inhaled. Avoid breathing of dust. Avoid contamination of feed and foodstuffs. Avoid contact with skin. Wash hands thoroughly after use.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not reuse this container. Destroy by burying in a safe place.

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
· Piperonyl Butoxide, Technical	1.00%
Carbaryl (1-Napthyl N-methyl	
carbamate)	5.00%
INERT INGREDIENTS	93.90%
•Equivalent to 0.8% (butylcarbityl) (6-	propylpip.

*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% of related compounds.


EPA Reg. No.

1193-71

THE 707 COMPANY NEW YORK, N.Y. 10461

NEW SQUEEZE CAN





CAUTION KEEP OUT OF REACH OF CHILDREN

Read other cautions on back

CCEPTED

APR 1 3 1973

MOER THE FEDERAL INSECTICIDE ACTUMOSCIDE AND RODEWINGISTER.