

[1200-6]



ACCEPTED

JUL 12 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 1200-6 SUBJECT
TO ATTACHED COMMENTS.

X

DIRECTIONS

Use one gallon of Larvaecide to each 40,000 gallons of water, or in proportion on marshy ground. May be mixed with kerosene, crude oil, or waste oil for greater economy. Spray or sprinkle thoroughly in weeds and on edges of running streams.

NOTE

MOSQUITO LARVAECIDE is not recommended for use in saltwater or brackish marshes.

**EAGLE
MOSQUITO
LARVAECIDE**

USDA REG. #1200-00006

ACTIVE INGREDIENTS:

Coal Tar Neutral Oils, Phenols, Soap

90%

INERT INGREDIENTS: Water.

10%

100%

CAUTION:

KEEP OUT OF REACH OF CHILDREN



POISON IF SWALLOWED

SEE OTHER CAUTIONS ON SIDE PANELS

For Use in Rain Barrels, Gutters, Ponds, Low Marshy Places, Eaves, for the Purpose of Destroying the Larvae, Eggs, Wigglers of Mosquitoes

Manufactured for

EAGLE PRODUCTS CO., INC.

2601 INDUSTRIAL

GARLAND, TEXAS

CAUTION

MOSQUITO LARVAECIDE is harmful if taken internally. If accidentally swallowed, give white of egg, musci-lage, starch, paste, etc., as an antidote. Use one table-spoonful of mustard in a glass of warm water as an emetic.

Avoid contact of undiluted material with skin; wash well with water if spilled accidentally thereon.

Avoid breathing of vapor, fumes, or spray mist of the concentrated liquid.