

DIRECTIONS FOR USE

NAVEL ORANGES, VALENCIA ORANGES, GRAPEFRUIT, LEMONS: Apply 1.0 to 1.4 gallons of Spray Oil per 100 gallons of water for control of Citrus Red Mite, Red Scale, Yellow Scale, and Black Scale.

Fill spray tank with 1/2 of the required amount of water. Start agitator. Add total amount of Spray Oil. Continue operation of agitator while adding balance of water and while spraying.

Spray Oil may be used as a carrier for appropriate approved citrus insecticides and fungicides which can be applied to give a uniform spray. Consult state Ag. Extension Service.

GENERAL DIRECTIONS


GAVICIDE-C is a straight-cut narrow boiling range petroleum oil designed specifically for use on citrus.

Apply so as to give total coverage to all parts of the tree. Thorough drenching of trunks, limbs, twigs, and leaves is essential for maximum insect control.

Use only in spray machines with powerful positive agitation. Keep agitator running at all times during spray operation. Spray Oil is formulated as a "fast-break" spray oil and will not stay in solution unless agitated constantly!


NET CONTENTS _____ GALS.

Best Available Copy



GAVICIDE-C

New Superior Spray Oil for Citrus



ACTIVE INGREDIENT:
Mineral Oil 99.7%
INERT INGREDIENT3%
100.0%

E.P.A. REG. NO. 1202-101-AA
Unulfonated Residue
(ASTM D-483) 93%

PETROLEUM OIL CLASSIFICATION:
Unclassified

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not induce vomiting.

Manufactured By:



LOT NO. _____ 7/71 CN

CAUTION

READ ENTIRE LABEL. Use strictly in accordance with label cautions, warnings, and directions; and in conformity with Federal and State Regulations.

DO NOT apply Spray Oil within 30 days before or after an application of sulfur.

DO NOT mix with insecticides or fungicides incompatible with oil. Consult your state Ag. Extension Service for specific compatibilities.

DO NOT apply to trees weakened by disease, drought, drying winds, or high nitrogen applications.

DO NOT apply when temperatures exceed 90°F.

NARROW RANGE 415
UNIVERSITY OF CALIFORNIA

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DO NOT CONTAMINATE WATER
BY CLEANING OF EQUIPMENT,
OR DISPOSAL OF WASTES.

1202-101

7-26-72

10781

0000000000
0000000000

ACCEPTED
JUL 26 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND REPELLENT ACT
FOR FUNGICIDE AND REPELLENT REGISTERED
UNDER NO. 1202-101
TO ATTACHED COMMENTS. SUBJECT

1202-101