

DIRECTIONS FOR USE

**COTTON:** Apply 15-30 pounds per acre in the seed row for control of mites, aphids, rhizoctonia, fusarium and pythium on seedling cotton.

**BEANS:** Apply 15-30 pounds per acre to control mites, aphids, rhizoctonia, Schlerotinia. Apply uniformly in furrow to one side of seed at time of planting. Do not apply in contact with seed. Do not feed forage within 60 days after planting.

**IMPORTANT:** When used on cotton at the maximum recommended rates under adverse conditions, such as extremely cool and wet or extremely dry weather, THIMET may cause some delay in emergence, stunting of seedlings, or reduction of stand. Such damage may be more pronounced in light, sandy soils. Plant injury may also occur or may be enhanced when certain pre-emergent herbicides are used in conjunction with THIMET.

THIMET is a systemic insecticide entering the plant by absorption through the roots. The insecticide placed near the roots is translocated to all parts of the plant and kills sucking insects feeding on the plant. The active ingredient is released slowly giving long protection during the plant's susceptible early life.

OBSERVE THE FOLLOWING USE PRECAUTIONS

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber, or pasture crops. The grower is responsible for residues on his crops as well as for damages caused by drift from his property to that of others. Highly toxic to fish and wildlife. To protect water supplies, fish and wildlife, do not contaminate any body of water or apply to any area not specified on the label.

CONTAINER DISPOSAL

Do not re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Burn the empty container completely. Exercise extreme caution and stay well away from the smoke. Do not use container in any connection with feed, food or drinking water.

Lot No. \_\_\_\_\_ R7586RJW



**THIMET® PCNB**

**6.5-6.5**

**ACTIVE INGREDIENTS:**

Phorate (O,O-diethyl S-(ethylthio) methyl phosphorodithioate) . . . . .	6.5%
Pentachloronitrobenzene . . . . .	6.5%

<b>INERT INGREDIENTS:</b> . . . . .	<u>87.0%</u>
	100.0%

® THIMET is a Registered Trademark of American Cyanamid Company



**POISON**  
Call a physician immediately.  
Remove from further contact.  
**DANGER**




**KEEP OUT OF REACH OF CHILDREN.**

See antidote statement and other required warning statements on the left panel.



NET WEIGHT 50 POUNDS



**DANGER**

**POISONOUS IF SWALLOWED. INHALED OR ABSORBED THROUGH SKIN.** Poisoning may occur as a result of exposure. May be fatal if swallowed. Rapidly absorbed through the skin. Do not get in eyes or on skin. Wear protective clothing, natural rubber gloves, and goggles. Do not breathe dust. Wear a mask or respirator effective for protection against THIMET. Information as to suitable types of masks or respirators is available from the U. S. Department of Agriculture. Do not contaminate feed or food. Keep all unprotected persons out of the operating area or vicinity. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

**SYMPTOMS OF POISONING:** A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

**ANTIDOTE:** Atropine sulfate. 2-PAM is also antidotal and may be administered in conjunction with atropine.

**TO PHYSICIAN - TREATMENT:** In case of poisoning, call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

NONWARRANTY

Because the use of this material is subject to conditions beyond their control, neither the Pacific Guano Company nor any other Seller hereof warrants, either expressed or implied, the use thereof or the results of such use, whether or not used in accordance with directions. Neither of the foregoing will or shall be responsible for the results of any use of this material.

USDA Reg. No. 1202-105