

1202-177

PM21

1062

300

143458

17

1

MAY 14 1985

Puregro Company
1276 Halyard Drive
West Sacramento, CA 95691

Attention: Christopher L. Dozier

Gentlemen:

Subject: Pure Gro Polyram Potato Seed Treater
EPA Registration No. 1202-177
Your Letter Dated December 27, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

1. Add "Do not use treated seed for food or feed purposes" under the directions for use in the crop recommendation section.
2. Change "Keep out of lakes, streams, and ponds" to "Do not apply directly to water."
3. Add "Do not use near open flame" to the physical or chemical hazards statements.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Henry N. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

RD/FHB;JOB:32932;Notes:RD:85/18;ac:Vendrick:898-1270:4/17/85;Del.4/24/85

CONCURRENCES

SYMBOL ▶	SURNAME ▶	DATE ▶						

FUNGICIDE

ACTIVE INGREDIENTS:

A mixture of 5.2 parts by weight (83.9%)
 of ammoniates of (ethylenebis (dithiocarba-
 mato) zinc with 1 part by weight (16.1%)
 ethylenebis (dithiocarbamic acid) bimole-
 cular and trimolecular cyclic anhydrosulf-
 ides and disulfides 7%

INERT INGREDIENTS: 93%
 100%

Zinc as Metallic 1.22%

EPA Reg. No. 1202-177-AA

EPA EST. NO.

Registered trademark of Badische
 Anilin & Soda-Fabrik AG.

CAUTION

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner incon-
 sistent with its labeling.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS
 AND DOMESTIC ANIMALS

May be harmful if swallowed or inhaled. May
 cause irritation of eyes, nose, throat and skin!
 In case of contact, flush with plenty of water; for
 eyes, get medical attention.

Environmental Hazards

The product is toxic to fish. Keep out of lakes, streams and ponds. Do
 not contaminate water by cleaning of equipment or disposal of wastes.
 Apply this product only as specified on the label.

Do not allow this material to drift onto neighboring crops or non-crop
 areas or use in a manner or at a time other than in accordance with
 label directions because animal, plant or crop injury, illegal residues
 or other undesirable results may occur.

Physical or Chemical Hazards

Protect from excessive heat.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of
 on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose
 of empty bag in a sanitary landfill or by incineration, or, if allowed
 by State and local authorities, by burning. If burned, stay out of
 the smoke.

CROP RECOMMENDATION

POTATOES: Apply 1.0 to 1.5 lbs.
 per 100 lbs. seed to control Black leg,
 Fusarium seed piece decay, Seed borne
 common scab. Cut seed should be
 treated immediately after cutting.
 Apply evenly to entire surface of seed.
 If treated whole seed is cut, a second
 application will be required after
 cutting. If planting is delayed, follow
 storage practices recommended in
 your area.

PureGro Conditions of Sale and Warranty

PureGro Company warrants that this product conforms to the chemical description on the
 label and is reasonably fit for purposes stated on such label. PureGro makes no other warranty,
 express or implied, of fitness or merchantability nor authorizes any agent or representative to
 make any variation or exception from this warranty.

Follow directions carefully. Timing and method of application, weather and crop conditions,
 mixtures with other chemicals not specifically recommended, and other influencing factors in
 the use of this product are beyond the control of PureGro Company. Buyer assumes all risk of
 use, storage, or handling of this material not in strict accordance with directions given
 here-with.

DISTRIBUTED BY



WEST SACRAMENTO, CALIFORNIA

NET WEIGHT — 50 LBS.

LOT NO. _____

Ch 84

ACCEPTED
 with COMMENTS
 in EPA Letter Dated:

MAY 14 1985

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.

1202-177

MAY 14 1985

Puregro Company
1276 Halyard Drive
West Sacramento, CA 95691

Attention: Christopher L. Doxier

Gentlemen:


Subject: Pure Gro Polyram Potato Seed Treater
EPA Registration No. 1202-177
Your Letter Dated December 27, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

1. Add "Do not use treated seed for food or feed purposes" under the directions for use in the crop recommendation section.
2. Change "Keep out of lakes, streams, and ponds" to "Do not apply directly to water."
3. Add "Do not use near open flame" to the physical or chemical hazards statements.

A stamped copy of the label is enclosed for your records.

Sincerely yours,


Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

RD/FIB:JOB:32932:Moles;RD:85/18:ac;Kendrick:898-1270:4/17/85:Del.4/24/85

CONCURRENCES

SYMBOL ▶								
CLASS. AND ▶								
DATE ▶								

PUREGRO

POLYRAM® POTATO SEED TREATER

FUNGICIDE

ACTIVE INGREDIENTS:

A mixture of 5.2 parts by weight (83.9%)
of ammoniates of (ethylenebis (dithiocarba-
mato) zinc with 1 part by weight (16.1%)
ethylenebis (dithiocarbamic acid) bimole-
cular and trimolecular cyclic anhydrosulf-
ides and disulfides 7%

INERT INGREDIENTS: 93%
. 100%

Zinc as Metallic 1.22%

EPA Reg. No. 1202-177-AA

EPA EST. NO.

Registered trademark of Badische Anilin & Soda-Fabrik AG.

CAUTION

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsis- tent with its labeling.

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS
AND DOMESTIC ANIMALS

May be harmful if swallowed or inhaled. May cause irritation of eyes, nose, throat and skin! In case of contact, flush with plenty of water; for eyes, get medical attention.

Environmental Hazards

The product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

Physical or Chemical Hazards

Protect from excessive heat.

PureGro Conditions of Sale and Warranty

PureGro Company warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on such label. PureGro makes no other warranty, express or implied, of fitness or merchantability nor authorizes any agent or representative to make any variation or exception from this warranty.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of PureGro Company. Buyer assumes all risk of use, storage, or handling of this material not in strict accordance with directions given hereunder.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of the smoke.

CROP RECOMMENDATION

POTATOES: Apply 1.0 to 1.5 lbs. per 100 lbs. seed to control Black leg, Fusarium seed piece decay, Seed borne common scab. Cut seed should be treated immediately after cutting. Apply evenly to entire surface of seed. If treated whole seed is cut, a second application will be required after cutting. If planting is delayed, follow storage practices recommended in your area.

DISTRIBUTED BY



WEST SACRAMENTO, CALIFORNIA

NET WEIGHT — 50 LBS.


LOT NO. _____

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAY 14 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

1202-177



1202 111 17101
300 143458
17 1

MAY 14 1985

Puregro Company
1276 Halyard Drive
West Sacramento, CA 95691

Attention: Christopher L. Dozier

Gentlemen:

Subject: Pure Gro Polyram Potato Seed Treater
EPA Registration No. 1202-177
Your Letter Dated December 27, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

1. Add "Do not use treated seed for food or feed purposes" under the directions for use in the crop recommendation section.
2. Change "Keep out of lakes, streams, and ponds" to "Do not apply directly to water."
3. Add "Do not use near open flame" to the physical or chemical hazards statements.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (75-767)

RD/FHB;JOB:32932;Noles;RD:85/18;ac:Kendrick;898-1270;4/17/85;Del.4/24/85

CONCURRENCES

SYMBOL	SIGNATURE	DATE						

PUREGRO POLYRAM® POTATO SEED TREATER

FUNGICIDE

ACTIVE INGREDIENTS:

A mixture of 5.2 parts by weight (83.9%) of ammoniates of (ethylenebis (dithiocarbamate) zinc with 1 part by weight (16.1%) ethylenebis (dithiocarbamic acid) bimolecular and trimolecular cyclic anhydrosulfides and disulfides 7%

INERT INGREDIENTS: 93%

100%

Zinc as Metallic 1.22%

EPA Reg. No. 1202-177-AA

EPA EST. NO.

Registered trademark of Badische Anilin & Soda-Fabrik AG.

CAUTION

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be harmful if swallowed or inhaled. May cause irritation of eyes, nose, throat and skin! In case of contact, flush with plenty of water; for eyes, get medical attention.

Environmental Hazards

The product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

Physical or Chemical Hazards

Protect from excessive heat

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of the smoke.

CROP RECOMMENDATION

POTATOES: Apply 1.0 to 1.5 lbs. per 100 lbs. seed to control Black leg, Fusarium seed piece decay, Seed borne common scab. Cut seed should be treated immediately after cutting. Apply evenly to entire surface of seed. If treated whole seed is cut, a second application will be required after cutting. If planting is delayed, follow storage practices recommended in your area.

PureGro Conditions of Sale and Warranty

PureGro Company warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on such label. PureGro makes no other warranty, express or implied, of fitness or merchantability nor authorizes any agent or representative to make any variation or exception from this warranty.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of PureGro Company. Buyer assumes all risk of use, storage, or handling of this material not in strict accordance with directions given herewith.

DISTRIBUTED BY



WEST SACRAMENTO, CALIFORNIA


NET WEIGHT — 50 LBS.

LOT NO. _____

ACCEPTED with COMMENTS in EPA Letter Dated:

MAY 14 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1202-177



1202-177

PM 21

1062

300

143458

47

1

MAY 14 1985

Puregro Company
1276 Halyard Drive
West Sacramento, CA 95691

Attention: Christopher L. Dozier

Gentlemen:

Subject: Pure Gro Polyram Potato Seed Treater
EPA Registration No. 1202-177
Your Letter Dated December 27, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

1. Add "Do not use treated seed for food or feed purposes" under the directions for use in the crop recommendation section.
2. Change "Keep out of lakes, streams, and ponds" to "Do not apply directly to water."
3. Add "Do not use near open flame" to the physical or chemical hazards statements.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

RD/FHB;JOB:32932;Noles;RD:85/18;ac;Kendrick;898-1270;4/17/85;Del.4/24/85

CONCURRENCES

SYMBOL	SURNAME	DATE						

PUREGRO

POLYRAM® POTATO SEED TREATER

FUNGICIDE

ACTIVE INGREDIENTS:

A mixture of 5.2 parts by weight (83.9%)
 of ammoniates of (ethylenebis (dithiocarba-
 mato) zinc with 1 part by weight (16.1%)
 ethylenebis (dithiocarbamic acid) bimole-
 cular and trimolecular cyclic anhydrosulf-
 ides and disulfides 7%

INERT INGREDIENTS: 93%
 100%

Zinc as Metallic 1.22%

EPA Reg. No. 1202-177-AA

EPA EST. NO.

Registered trademark of Badische Anilin & Soda-Fabrik AG.

CAUTION

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsis- tent with its labeling

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

May be harmful if swallowed or inhaled. May cause irritation of eyes, nose, throat and skin! In case of contact, flush with plenty of water; for eyes, get medical attention.

Environmental Hazards

The product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

Physical or Chemical Hazards

Protect from excessive heat.

PureGro Conditions of Sale and Warranty

PureGro Company warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on such label. PureGro makes no other warranty, express or implied, of fitness or merchantability nor authorizes any agent or representative to make any variation or exception from this warranty.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of PureGro Company. Buyer assumes all risk of use, storage, or handling of this material not in strict accordance with directions given herewith.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of the smoke.

CROP RECOMMENDATION

POTATOES: Apply 1.0 to 1.5 lbs. per 100 lbs. seed to control Black leg, Fusarium seed piece decay, Seed borne common scab. Cut seed should be treated immediately after cutting. Apply evenly to entire surface of seed. If treated whole seed is cut, a second application will be required after cutting. If planting is delayed, follow storage practices recommended in your area.

DISTRIBUTED BY



WEST SACRAMENTO, CALIFORNIA

NET WEIGHT — 50 LBS.

LOT NO. _____

ACCEPTED
with COMMENTS
In EPA Letter Dated:

MAY 14 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

1202-177