

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)**

CAUTION

Do not get on skin, eyes, or clothing. Harmful if swallowed. **DO NOT INDUCE VOMITING.** Call a physician immediately. Avoid breathing spray mist in case of contact. Immediately remove contaminated clothing and flush skin or eyes with plenty of water. For eyes, get medical attention if irritation persists. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

NOTE TO PHYSICIAN - EMERGENCY INFORMATION
— Call CHEMTREC (800) 424-9300

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply to water or wetlands. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning equipment or disposal of wastes.

This product is slightly toxic to bees exposed to direct treatment. Can be applied at any time but bees are temporarily inactivated by direct contact and some loss may occur. Consult your Agricultural Extension Service for further protective information.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. Use strictly in accordance with label cautions, warnings, and directions, and in conformity with Federal and State regulations.

APPLICATION: DO NOT APPLY this product through any type of irrigation system.

DO NOT APPLY spray oil without consulting your State Agricultural Extension Service.

DO NOT COMBINE WITH SULFUR SPRAYS and **DO NOT APPLY** spray oil within 30 days before or after an application of sulfur.

DO NOT MIX with insecticides or fungicides incompatible with oil. Consult your State Agricultural Extension Service for specific compatibilities.

DO NOT APPLY to trees weakened by disease, drought, drying winds, or high nitrogen applications.

DO NOT USE Gavicide Super 90 when temperatures are above 90° Fahrenheit.

Occasional foliage injury may occur when combined with guthion, parathion and kelthane on peaches and nectarines.

Walnuts, plums, prunes should not be sprayed during early dormancy period, or after bud break.

GAVICIDE SUPER 90

**NEW SUPERIOR SPRAY OIL
FOR DECIDUOUS FRUITS**

Active Ingredient —	
Mineral Oil	99.0%
Inert Ingredient	1.0%
	100.0%

Unsulfonated Residue (ASTM D-483)	93%
Petroleum Oil Classification	Unclassified

EPA Registration No. 1202-178
EPA Est. No.

NARROW RANGE OIL

KEEP OUT OF REACH OF CHILDREN

CAUTION

HARMFUL IF SWALLOWED. DO NOT INDUCE VOMITING.
CALL A PHYSICIAN IMMEDIATELY.

**SEE SIDE PANELS FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.**



NET CONTENTS _____ GALLONS

REENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information:

CAUTION: Area to be treated with Gavicide Super 90 (date of application). Do not enter without appropriate protective clothing until sprays have dried. If accidentally exposed, consult the Statement of Practical Treatment portion of the pesticide label for first aid and medical attention recommendations.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in locked storage area. If a spill occurs, visible puddles or drops should be covered with a dry adsorbent such as clay, sawdust, lime or saw ash. Sweep-up and dispose of in a permitted disposal facility. Avoid cross-contamination with other pesticides and fertilizers during handling and storage. Do not store near heat or open flame. Protect from temperatures below 0°F. Not for Use or Storage in or Around the Home.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authority as Do not reuse container.

In case of spill or accident, call CHEMTREC (800) 424-9300 day or night for assistance.

GENERAL DIRECTIONS: "Gavicide Super 90" is a straight cut narrow boiling range petroleum oil designed specifically for use on deciduous fruit trees.

Apply so as to give total coverage to all parts. Thorough drenching of trunks, limbs, twigs and leaves is essential for maximum insect control.

Use only in spray machines with powerful positive agitation. Keep agitator running at all times during spray operations. Gavicide Super 90 is formulated as a "fast break" spray oil and will not stay in solution unless agitated constantly!

FORM L-145

CROP RECOMMENDATION

Dormant, delayed dormant or summer applications. Almonds, apricots, apples, cherries, peaches, pears, prunes. Apply 5-8 gallons oil per acre for control of European Pear Mite, Brown Pear Mite, Two spotted Mite, Pacific Mite, Pear Psylla, McDaniel Mite, Strawberry Mite, Pear Rust Mite, Peach Silver Mite, San Jose Scale, and Lecanium Scale.

Walnuts: Late spring application—apply 5-7 gallons oil per acre for control of San Jose Scale, Walnut Nymph.

Application Rate: Apply rates given in 50-2000 gallons water per acre.

Mix spray tank with the required amount of water. Start agitator. Add total amount of spray oil. Continue operation of agitator while adding balance of water and while spraying.

Spray oil may be used as a carrier for appropriate Insecticides and Fungicides which are Registered for use on deciduous fruits and nuts and which can be applied to give a uniform spray. Consult your local Agricultural Extension Service.

**PUREGRO CONDITIONS OF
SALE AND WARRANTY**

PureGro Company warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on such label. PureGro makes no other warranty, express or implied, of fitness or merchantability nor authorizes any agent or representative to make any variation or exception from this warranty.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of PureGro Company. Buyer assumes all risk of use, storage, or handling of this material not in strict accordance with directions given herewith.

ACCEPTED

001 21 1080

Under the Federal Insecticide,
Fungicide and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 1202-178