

**DIRECTIONS FOR USE**

**APPLES:** Apply 10-20 lbs. per acre to control European red mite, two-spotted mite, brown almond mite, apple rust mite. Do not apply more than 3 times during fruiting season. Do not apply within 30 days of harvest. **CAUTION**—Do not use on any other or other varieties.

**GRAPES:** Apply 20-30 lbs. per acre to control grape leaf-hoppers, two-spotted mites, Williamsite mite. Do not apply within 15 days of harvest. Do not dust more than twice during fruiting period or do not apply within 30 days if applied more than 3 times during fruiting season.

**PEACHES:** Apply 10-20 lbs. per acre to control European red mite, two-spotted mite, brown almond mite. Do not apply within 30 days of harvest. Do not apply more than twice during fruiting season.

**ALMONDS:** Apply 10-20 lbs. per acre to control brown almond mite, European red mite, two-spotted mite. Do not apply more than once during fruiting period. Do not apply within 30 days of harvest.


**BEANS, BEANS, Beans (Sweet and Dry):** Apply 20 lbs. per acre to control European bean beetle, Mexican bean beetle, two-spotted mite. Do not apply within 2 days of harvest. Do not feed treated bean foliage to livestock.

**COTTON:** Apply 25-40 lbs. per acre to control spider mites, egg bugs. Do not apply after bolls open. Do not graze dairy or meat animals in treated fields.

**MELONS:** Apply 10-20 lbs. per acre to control melon leaf-hopper, melon leafminer, serpentine leafminer, two-spotted mite. Do not apply within 1 day of harvest.

**STRAWBERRIES:** Apply 25-30 lbs. per acre to control two-spotted mite. Do not apply within 2 days of harvest.

**TROPICAL FRUITS:** Apply 10 lbs. dust per acre to control tropical mite, leafminer, leafminer. Do not apply within 2 days of harvest.



**ETHION SULFUR  
DUST 4-50**

**ACTIVE INGREDIENT:**

*Ethion . . . . .	4.00%
Sulfur . . . . .	50.00%
<b>INERT INGREDIENTS:</b> . . . . .	<u>46.00%</u>
	100.00%

\*O,O,O',O'-tetraethyl S,S'-methylene bisphosphorodithioate

U. S. Patent Number 2,973,228

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN.**

Harmful if swallowed. May be absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

(Continued on right panel)

BURN EMPTY BAG  
STAY OUT OF SMOKE



LOS ANGELES, CALIFORNIA

NET CONTENT \_\_\_\_\_ lbs.

(Cont. from front panel)


**CAUTION**

This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply to any area not specified on the label.

Do not apply when weather conditions favor drift of dust from areas treated.

**CONDITIONS OF SALE:** 1. Paragro Company (manufacturer) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Manufacturer neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond the manufacturer's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops, etc., which the material is applied, lack of complete control, and damage to or death of other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by the manufacturer under (above)) resulting from handling, storage, and use of this material.



U.S.D.A. Reg. No. 1202-182

LOT NO. 9/70CN

[218-477]  
DIRECTIONS

Use this material in the following manner: Read the directions on the label carefully.

**CITRUS:**

Do not apply to citrus fruits. Do not apply to citrus trees. Do not apply to citrus groves. Do not apply to citrus orchards. Do not apply to citrus groves. Do not apply to citrus orchards.

**ON GRAPEFRUIT, ORANGES, TANGERS, TANGERINES AND LIME:** For Orange, Tangerine and Lime use 5 pints per acre. For Grapefruit use 5 pints per acre. Do not apply to citrus groves. Do not apply to citrus orchards.

**ON GRAPEFRUIT, ORANGES, TANGERS AND TANGERINES:** For Florida Red Grapefruit use 5 pints per acre. For Florida Red Orange use 5 pints per acre. For Florida Red Tangerine use 5 pints per acre. For Florida Red Tangerine use 5 pints per acre. Do not apply to citrus groves. Do not apply to citrus orchards.

**LEMONS:** Eastern and Western Areas use 5 pints per acre. Do not apply to citrus groves. Do not apply to citrus orchards.

**OTHER FRUIT:**

**APPLES:** For Eastern and Western Areas use 5 pints per acre. Do not apply to citrus groves. Do not apply to citrus orchards.

**ALMONDS, PEACHES, PEACHES, PEACHES, PEACHES AND PEACHES:** For Eastern and Western Areas use 5 pints per acre. Do not apply to citrus groves. Do not apply to citrus orchards.

**MELONS:** For Eastern and Western Areas use 5 pints per acre. Do not apply to citrus groves. Do not apply to citrus orchards.

**STRAWBERRIES:** For Two Spotted Mite and Strawberry Leafhopper use 1 to 2 pints per acre. Do not apply within 2 days of harvest.

**VEGETABLES:**  
**FRESH CUCUMBERS:** Do not apply to fresh cucumbers. Do not apply to fresh cucumbers. Do not apply to fresh cucumbers.  
**EGGPLANT, CUCUMBERS AND SUMMER CUCURBIT:** Do not apply to eggplant, cucumbers and summer cucurbit. Do not apply to eggplant, cucumbers and summer cucurbit.  
**MELONS:** Do not apply to melons. Do not apply to melons. Do not apply to melons.  
**OTHER CROPS:** Do not apply to other crops. Do not apply to other crops. Do not apply to other crops.  
**ORNAMENTALS:** Do not apply to ornamentals. Do not apply to ornamentals. Do not apply to ornamentals.  
**ORNAMENTAL TURF:** Do not apply to ornamental turf. Do not apply to ornamental turf. Do not apply to ornamental turf.  
**MIXING IN SPRAY TANKS:** Do not mix in spray tanks. Do not mix in spray tanks. Do not mix in spray tanks.

2393-312  
ACCEPTED

ABC

NET CONTENT

ETHION

EMULSIFIAB

CONTAINS 4 PINTS

This material must not be used.

NOTICE: Ethion is a Restricted Use Pesticide. Read Safety Directions on Label.

DO NOT USE OR STORE IN THIS MANNER

ACTIVE INGREDIENTS	
Ethion	46.84%
Diethyl Sebacate	36.16%
Inert Ingredient	17.00%

**WARNING:** Keep out of reach of children. Do not use for agricultural purposes.

MADE IN U.S.A.