



ACTIVE INGREDIENT: 

BEANS: Furrow treatment - Apply 15-24 lbs. per 8400 linear feet of row for pole beans or 14,500 Timear feet for bush beans to control root and stem rots (rhizoctonia). Distribute over the seed and surrounding soil as the beans are planted. COTTON: Row treatment - Apply 10-20 lbs. per 12,400 linear feet of row to control rhizoctonia induced damping-off, seedling blight, seedling rot, sore-shin. Apply in furrow over seed and surrounding soil at planting time. If a seed-embedding wheel (seed press wheel) is used, the granules may be simulataneously applied, through the seed drop tube and the mixing device attached at the end of the granule delivery tube. This can be done by dividing the granule flow through a "Y" connection. Use the lower application rates for light soils and heavy application rates for heavy clay soil. Do not allow the feeding or grazing of cotton foliage by livestock. Do not plant any root crop not registered for PCNB in rotation on PCNB treated soil.

E.P.A. Reg. No. 1202-193-AA

## CAUTION

## **KEEP OUT OF REACH OF CHILDREN**

Avoid inhaling dust. This material may cause skin irritation. Wash hands and face after using. Wear gloves and a respirator when loading the application equipment. Avoid contact with skin, eyes, or clothing. In case of contact flush skin or eyes with plenty of water, for eyes get medical attention.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

CONDITIONS OF SALE: 1. PureGro Company (manufacturer) warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. Manufacturer neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyound the manufacturer's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by the manufacturer under 1 above) resulting from handling, storage, and use of this material.

Let Ho.

7/71CN



Do not reuse container. Destroy when empty.

Net Weight 50 1bs.