

ACCEP
11/11/71
W-244



PREHARVEST DESSICANT

ALFALFA (Seed Crop): Apply 1 to 1 1/4 gals. per acre in 5-25 gals. of water per acre for preharvest desiccant. Apply 5-6 days before harvest. Do not graze treated areas or feed treated forage to livestock.

POTATOES: Apply 1 to 1 2/3 gals. per acre in 5-25 gals. of water per acre for preharvest vine killing. Apply 10-14 days before harvest. Do not spray exposed tubers. Do not graze livestock in treated areas.

NOTE: Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

IMPORTANT: Do not store at temperatures below 20°F. If stored for extended periods of time below 20°F, bring the contents of the container up to 32°F; and agitate by rolling.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, ponds, and streams. Do not apply in any manner not specified on the label. Do not apply when weather conditions favor drift from areas treated.

KEEP MATERIAL IN ORIGINAL CONTAINER.

Lot No.

7775N

PUREGRO COMPANY, 1000 WEST 10TH STREET, LOS ANGELES, CALIFORNIA 90006

ACTIVE INGREDIENT:

4,6-Dinitro-o-sec-butylphenol.....30%

INERT INGREDIENTS.....70%
100%

Contains 1.5 pounds of 4,6-Dinitro-o-sec-butylphenol per gallons.

E.P.A. Reg. No. 1202-244-AA

Absorbed through skin. May be fatal if swallowed or absorbed through the skin. Do not get in eyes. Causes severe eye damage. Wear goggles, gloves and protective clothing when handling. Do not get on skin, on clothing. Do not take internally. Avoid breathing vapor or spray drift. Do not wear contaminated clothing or shoes. Keep away from heat and open flame. Avoid storage near feed and food products.



LOS ANGELES, CALIFORNIA

NET CONTENT

GALLONS

SYMPTOMS OF POISONING: Excessive fatigue, Sweating, Thirst and fever. If symptoms of poisoning develop from any type of exposure, SEND FOR A PHYSICIAN.

FIRST AID: Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water.

IF SWALLOWED, SEND FOR A PHYSICIAN:

Induce vomiting by giving an emetic such as 2 tablespoonfuls of table salt in a glass of warm water; repeat until vomit fluid is clear, then give two tablespoonfuls of baking soda in a glass of water. Treat as in FIRST AID, above. If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention. If spilled on skin, immediately remove contaminated clothing, including shoes, and wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician and treat as in FIRST AID, above. Discard contaminated clothing and shoes, or clean them thoroughly before re-use. NOTE TO ATTENDING PHYSICIAN: Active ingredient is a metabolic stimulant. Treat symptomatically.

CONDITIONS OF SALE: PureGro Company, manufacturer, warrants that the material conforms to the chemical description on the label and is reasonably fit for use as stated herein. Manufacturer neither makes nor authorizes any agent or representative to make any other warranty or statement of MERCHANTABILITY or fitness for any particular use and assumes no liability concerning the material's effectiveness and performance. Factors beyond the manufacturer's control, such as improper mixing, use in conjunction with the use of other chemicals, or other conditions, may cause or result in damage to plants and crops to which the material is applied. Complete control and damage prevention is left to the grower. The grower should exercise care through the product's use and avoid the use of other chemicals and pesticides. The grower should use the label and other knowledge and information available to the grower to protect the crop from the manufacturer's liability. The grower should use the material in accordance with the label instructions.

PUREGRO COMPANY, 1000 WEST 10TH STREET, LOS ANGELES, CALIFORNIA 90006