

DIRECTIONS FOR USE

For a complete guide to use

- ALMONDS:** Apply 50-100 lbs. per acre to control mites, aphid, codling moth, plum curculion, mealybugs, fruit tree leaf roller, grasshoppers. Do not apply to susceptible varieties. Do not apply within 14 days of harvest.
- APRICOTS:** Apply 50-100 lbs. per acre to control mites, codling moth, oriental fruit moth, fruit tree leaf roller, aphid. Do not apply within 14 days of harvest.
- BERRIES:** (Blackberries, Boysenberries, Dewberries, Loganberries) Apply 25-40 lbs. per acre to control aphid, mites. Do not apply within 15 days of harvest.
- CHEERRIES:** Apply 50-100 lbs. per acre to control mites, aphid, plum curculion, cherry fruit worm, oriental fruit moth. Do not apply within 14 days of harvest. Do not repeat application within 30 days.
- CITRUS:** (Grapefruit, Kumquat, Orange, Lemon, Lime, Tangerine, Tangeroid) Apply 50-100 lbs. per acre to control mites, fruit tree leaf roller, aphid, citrus thrips. Do not apply within 14 days of harvest.
- GRAPES:** Apply 25-50 lbs. per acre to control mites, leaf folder, mealybug. Do not apply within 14 days of harvest.
- NECTARINES, PEACHES:** Apply 50-100 lbs. per acre to control mites, aphid, oriental fruit moth, fruit tree leaf roller, plum curculion. Areas other than California — Do not apply within 14 days of harvest. Do not apply more than 5 lbs. actual parathion per acre per year. California — Do not apply within 21 days of harvest. Do not apply more than once during bloom. Do not apply more than 5 lbs. actual parathion per acre between January 1 and harvest.
- PEARS:** Apply 50-150 lbs. per acre to control mites. Do not apply within 14 days of harvest.
- PLUMS, PRUNES:** Apply 50-65 lbs. per acre to control mites, plum curculion, mealy plum louse, leafhopper, aphids. Do not apply within 14 days of harvest. Do not reapply within 30 days.
- STRAWBERRIES:** Apply 25-40 lbs. per acre to control mites, leaf roller, aphids. Do not apply within 14 days of harvest.
- WALNUTS:** Walnut aphids — Use 30-40 lbs. per acre. Do not apply on walnuts after the outer husks open.

VEGETABLES and FIELD CROPS

Apply at the first sign of infestation and repeat at 7 to 10 day intervals as needed to maintain control, but observe use limits given for specific crops, unless otherwise shown, apply 25-40 lbs. per acre.

- BEANS:** Aphids, armyworms, corn earworms, cucumber beetle, leafhopper, Mexican bean beetle, spider mites, white fly. Do not apply within 15 days of harvest.
- BEEFS, SUGAR:** Aphid, webworms. Do not apply within 15 days of harvest. 21 days if tops are to be used for food or feed.
- BROCCOLI, BRUSSELS SPROUTS, CABBAGE:** Aphid, armyworms, cutworm, diamond-back moth, cabbage thrips. Apply 25-40 lbs. per acre. Do not apply within 14 days of harvest. 10 days if tops are to be used for food or feed.
- CARROTS:** Aphids, legume weevils. Do not apply within 14 days of harvest.
- COTTON:** Cotton bollworm, tobacco budworm, leafworm, bollworm, pink bollworm, bollworm, pink bollworm, bollworm, pink bollworm. Do not apply within 14 days of harvest.
- CUCUMBERS, MELONS:** Aphid, cucumber beetle, leafhopper, spider mites, white fly. Do not apply within 15 days of harvest.
- EGGPLANT:** Aphid, webworms. Do not apply within 15 days of harvest.
- HOPS:** Aphid, webworms. Do not apply within 15 days of harvest.
- LETTUCE:** Aphid, webworms. Do not apply within 15 days of harvest.
- ONIONS, GARLIC:** Aphid, webworms. Do not apply within 15 days of harvest.
- PEAS:** Aphid, webworms. Do not apply within 15 days of harvest.
- PEPPERS:** Aphid, webworms. Do not apply within 15 days of harvest.

RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY
BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

PARATHION DUST 2

ACTIVE INGREDIENT Parathion 21.980
 INERT INGREDIENTS 78.020
 100.000 lb. 0 p.p.h. benzothio-phosphite



POISON

Call a physician immediately. See him for further contact.



WARNING!

KEEP OUT OF REACH OF CHILDREN

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- 1. Wear water proof pants, coat, hat, rubber boots, rubber gloves, etc.
- 2. Wear safety goggles.
- 3. Wear mask or respirator approved by the U.S. Bureau of Mines.
- 4. Wear heavy duty rubber gloves.

WORK SAFETY RULES

- 1. Do not eat, drink, or smoke while using this material.
- 2. Do not use this material in a confined space.
- 3. Do not use this material in a poorly ventilated area.
- 4. Do not use this material in a residential area.
- 5. Do not use this material in a public place.
- 6. Do not use this material in a school.
- 7. Do not use this material in a hospital.
- 8. Do not use this material in a nursing home.
- 9. Do not use this material in a day care center.
- 10. Do not use this material in a long-term care facility.
- 11. Do not use this material in a residential care facility.
- 12. Do not use this material in a residential care facility.
- 13. Do not use this material in a residential care facility.
- 14. Do not use this material in a residential care facility.
- 15. Do not use this material in a residential care facility.
- 16. Do not use this material in a residential care facility.
- 17. Do not use this material in a residential care facility.
- 18. Do not use this material in a residential care facility.
- 19. Do not use this material in a residential care facility.
- 20. Do not use this material in a residential care facility.

USE, Reg. No. 1202 D-6-XX



ANNE H. CALIFORNIA

1-800-166

- POTATOES:** Apply 25-40 lbs. per acre to control Colorado potato beetle, leafhopper, Colorado potato beetle, Colorado potato beetle. Do not apply within 5 days of harvest.
- SPINACH:** Apply 25-40 lbs. per acre to control Colorado potato beetle, Colorado potato beetle. Do not apply within 14 days of harvest.
- TOMATOES:** Apply 25-40 lbs. per acre to control Colorado potato beetle, Colorado potato beetle, Colorado potato beetle, Colorado potato beetle. Do not apply within 10 days of harvest.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treatment areas.

CONTAINER DISPOSAL

Do not reuse empty containers. Destroy by burning with wastes. Stay away from smoke or fumes.



POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.



FIRST AID TREATMENT



Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Atropine — administer atropine sulfate in large doses. TWO TO FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAMchlorides also may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor. It affects the central and peripheral nervous system and produces a profound respiratory depression. At first sign of pulmonary edema the patient should be given oxygen and treated symptomatically. Continued administration of atropine may be necessary. There have been reports of after-effects of treatment with atropine. SUPERVISION OF THE PATIENT IS INDICATED IN TREATMENT OF PARATHION.


POISONOUS TO FISH AND WILDLIFE

Parathion is highly toxic to fish and wildlife. Do not use this material in or near water. Do not use this material in or near water.

CONDITIONS OF SALE

This material is sold only to and used only by certified applicators or persons under their direct supervision, and only for those uses covered by the certified applicator's certification.

BEST DOCUMENT AVAILABLE



DANGER--POISON--PRECAUTIONS ☠

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors or spray mist are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Apply this product only as specified on this label.



LOS ANGELES, CALIFORNIA

GAL
NET

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATOR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

BEST AVAILABLE

STOP! READ THE LABEL

POISON

See side panels

ACCEPTED for phytotoxins and precautions

JUN 6 1978

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide registered under EPA Reg. No. 14022-4-1



DANGER
Keep out of reach of children

CAN KILL YOU

PUREGRO PARATHION 4 LIQUID

ACTIVE INGREDIENT

Parathion O O diethyl C p nitrophenyl phosphorothioate

47.0%

INERT INGREDIENTS

53.0%

USE PESTICIDE
ONLY BY CERTIFIED APPLICATORS OR
UNDER SUPERVISION, AND ONLY FOR THOSE
AREAS AND APPLICATOR'S CERTIFICATION.

READ THE LABEL



DANGER
Keep out of reach
of children

KEEP OFF ALL YOU

PARATHION 4 LIQUID

phosphorothioate

47.0%

53.0%

**USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician) clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

EPA REG. NO. 1202-251-AA

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soap or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large dose: TWO to FOUR mg. intravenously or intramuscularly, such as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service Experiment Station regarding posting treated area.

CONTAINER DISPOSAL

See attached booklet for proper disposal.

CROP USE DIRECTIONS

Use only according to attached label booklet instructions.


BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY
BY CERTIFIED APPLICATORS OR PER-
SONS UNDER THEIR DIRECT SUPERV-
ISION, AND ONLY FOR THOSE USES
COVERED BY THE CERTIFIED APPL-
ICATOR'S CERTIFICATION.

STOP! READ THE LABEL

See below
for antidote
and precautions.



ACCERTED
Keep out of reach
of children
JUN 6 1978
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 120-252-AA

PUREGRO PARATHION 25 WP

ACTIVE INGREDIENT:

Parathion O-O-diethyl O-p-nitrophenyl phosphorothioate 25%

INERT INGREDIENTS:

..... 75%

E.P.A. REG. NO. 1202-252-AA



POISONOUS TO FISH AND WILDLIFE

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

Do not reuse empty containers. Destroy by burning with wastes. Stay away from smoke or fumes.

CROP USE DIRECTIONS

See reverse side

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.


If swallowed and victim is awake and conscious, make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep cool. See doctor immediately.

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Wash skin with plenty of water.

BEST DOCUMENT AVAILABLE

SONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

STOP! READ THE LABEL



ACCEPTED Keep out of reach of children JUN 6 1978 Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1202-252-AA

See below for antidote and precautions.

PUREGRO PARATHION 25 WP

ACTIVE INGREDIENT:

Parathion O-O-diethyl O-p-nitrophenyl phosphorothioate 25%

INERT INGREDIENTS: 75%

E.P.A. REG. NO. 1202-252-AA



POISON - HAZARDOUS PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes)



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

NOTE TO PHYSICIAN

Antidote— administer atropine sulfate in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

Do not reuse empty containers. Destroy by burning with waste. Stay away from smoke or fume.

CROP USE DIRECTIONS

See reverse side.



Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

Lot No. 9-71

NOT FOR HOME USE

NET WEIGHT LBS.