




DANGER—POISON—PRECAUTIONS 

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing. Liquid goes through clothes.



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish, shrimp, crabs and other wildlife. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources.

BEST AVAILABLE

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

STOP! READ THE LABEL

POISON


See side panels for antidote and precautions



CAN KILL YOU

DANGER

Keep out of reach of children



PUREGRO PARATHION 8E

Active Ingredient:

Parathion: O, O-diethyl O-p-nitrophenyl phosphorothioate

81.4%

Inert Ingredients:

18.6%

ESTICIDE
CERTIFIED APPLICATORS OR
SION, AND ONLY FOR THOSE
PLICATOR'S CERTIFICATION.

BEL

DANGER

Keep out of reach
of children

THION 8E

ate 81.4%
..... 18.6%

**USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water proof pants, coat, hat, rubber boots
or rubber overshoes. (2) Wear safety goggles. (3)
Wear mask or respirator approved by the U.S. Bureau
of Mines for parathion protection. (4) Wear heavy
duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from
treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick
in any way STOP work and get help right away. Call
a doctor (physician), clinic or hospital—immediately.
Explain that the victim has been exposed to para-
thion and describe his condition. After first aid is
given (see First Aid Treatment Section) and if a doc-
tor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them
with soap and water. Always wash hands, face and
arms with soap and water before smoking, eating or
drinking.

AFTER WORK, take off all work clothes and shoes.
Shower using soap and water. Wear only clean
clothes when leaving job. Do not wear contaminated
clothing. Wash protective clothing and protective
equipment with soap and water after each use. Res-
pirator should be cleaned and filter replaced accord-
ing to instructions included with respirator.

EPA REG. NO. 1202-265-AA

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly en-
ters the body on contact with all skin surfaces and
eyes. Clothing wet with this material must be re-
moved immediately. Exposed persons must receive
prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are:
Headache, nausea, vomiting, cramps, weakness,
blurred vision, pin point pupils, tightness in chest,
labored breathing, nervousness, sweating, watering
of eyes, drooling or frothing of mouth and nose,
muscle spasms and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immedi-
ately. Explain that the victim has been exposed to
parathion and describe his condition.

If breathing has stopped, start artificial respiration
immediately and maintain until doctor sees victim.
If swallowed and victim is awake (conscious) make
him vomit quickly. Induce vomiting by sticking finger
down throat or by giving soapy or strong salty water
to drink. Repeat until vomit is clear. Never give any
thing by mouth to an unconscious person. Have victim
lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin
with plenty of water for at least 15 minutes while
removing contaminated clothing and shoes. See doc-
tor immediately.

NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large doses,
2.0 to 4.0 mg intravenously or intramuscularly as
soon as cyanosis is overcome. Repeat at 5 to 10 min-
ute intervals until signs of atropinization appear.
2-PAM chloride is also antidotal and may be admin-
istered in conjunction with atropine. **DO NOT GIVE
MORPHINE OR TRANQUILIZERS.** Parathion is a
strong cholinesterase inhibitor affecting the central
and peripheral nervous systems and producing car-
diac and respiratory depression. At first sign of
pulmonary edema, the patient should be given supple-
mental oxygen and treated symptomatically. Con-
tinued absorption of the poison may occur and fatal
relapses have been reported after initial improve-
ment. **VERY CLOSE SUPERVISION OF THE PATIENT
IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or
Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See attached booklet for proper disposal.

CROP USE DIRECTIONS

Use only according to attached label booklet in-
structions.

NOT FOR HOME USE

PUREGRO

LOS ANGELES, CALIFORNIA

NET
CONTENTS

BEST DOCUMENT AVAILABLE