

## DIRECTIONS FOR USE

Apply in early morning or evening when there is little or no wind. The Federal Food and Drug Administration has set official tolerances of certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates, and do not apply closer to harvest than specified.

**LETTUCE:** Apply 30 lbs. per acre to control armyworm, leaf feeding aphid. Do not apply within 21 days of harvest.

**TOMATOES:** Apply 43½-50 lbs. per acre to control aphid, armyworm, flea beetle, leafhoppers, spider mite, tomato hornworm. Do not apply within 15 days of harvest.

**CABBAGE, CAULIFLOWER, BROCCOLI:** Apply 43½-50 lbs. per acre to control aphid, imported cabbage worm. Do not apply within 21 days of harvest.

## OBSERVE FOLLOWING USE PRECAUTIONS

Observe use limitations given on the label for specific crops. **DO NOT** apply during bloom when honey bees or other pollinators are active. Avoid dust drift to adjoining food and forage crops about to be harvested, or crops in bloom.

Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Empty bags should be buried or burned. (Stay away from smoke). If the bags are burned, the ashes should be buried in a safe place.

REGISTERED  
EPA REG. NO. 1202-270-AA



# BTB METHYL PARATHION 2-2 DUST

### ACTIVE INGREDIENTS:

<i>Bacillus Thuringiensis</i> Berliner	
Potency of 240 million International	
Units per mg. (at least 2.0	
Billion viable spores per mg.)*	0.048%
**0,0-dimethyl 0-Paranitrophenyl-	
phosphorothioate	2.000%
INERT INGREDIENTS	97.952%
	100.000%

\*Equivalent to potency of .1089 Billion International Units per pound (quart) of this product.

\*\*Methyl Parathion

## WARNING! KEEP OUT OF REACH OF CHILDREN

May be fatal if swallowed or inhaled. Rapidly absorbed through skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for Parathion protection. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be reentered until drifting insecticide and volatile residues have dissipated.

### ENVIRONMENTAL CAUTIONS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.



NET WEIGHT

LBS.

EPA REG. NO 1202-270-AA

## ANTIDOTE


**POISONING SYMPTOMS:** Headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in chest. **ANTIDOTE:** Atropine is the specific antidote. 2-PAM may be administered in conjunction. Obtain emergency supply of atropine 1:100 grain tablets from your physician. Keep on hand. **CALL A PHYSICIAN IMMEDIATELY** if persons handling or working with Parathion develop poisoning symptoms.

**IF SWALLOWED** — Give tablespoonful of salt in a glass of warm water. Repeat until vomit fluid is clear.

**INHALATION** — Remove patient from contaminated atmosphere.

**SKIN** — In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

**EYES** — In case of contact, flush immediately with water for at least 15 minutes.



**INFORMATION FOR PHYSICIAN** — Give atropine preferably by injection, grains 1/30 to 1/15 (2 to 4 mg.) at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours.

**CONDITIONS OF SALE:** Follow directions fully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.