

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS
(AND DOMESTIC ANIMALS)

DANGER

Fatal if swallowed, inhaled or absorbed through skin. Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. Exposed persons must receive prompt medical attention or they may die.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of waste.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. In case of accident or spill call CHEMTREC (800) 424-9300 day or night for assistance.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use only according to attached label and instructions.

REENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written or oral warnings must include the following information:

"DANGER" "Area to be treated with Parathion on (date of application). Do not enter without appropriate protective clothing for 48 hours. If accidentally exposed, consult the Statement of Practical Treatment portion of the pesticide label for first aid and medical attention recommendations."

WORKER SAFETY

Wear goggles or face shield, impermeable gloves and apron while pouring and transferring the concentrated product and at other times when contact with concentrate or spray is likely. Wear a long-sleeved shirt, long-legged pants or coveralls, and shoes and socks, while mixing concentrate and while spraying. Do not wear contaminated clothing or shoes. Remove contaminated clothing immediately and wash thoroughly before reuse. Wear a pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in locked storage area. If a spill occurs, Sweep up and dispose of in a permitted disposal facility. Avoid cross-contamination with other pesticides and fertilizers during handling and storage. Do not store near heat or open flame. Not for Use or Storage in or Around the Home.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture, or rinseate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

PUREGRO

BTB METHYL PARATHION 2-2 DUST

ACTIVE INGREDIENTS

Bacillus Thuringiensis Berliner	
Potency of 240 million International	
Units per mg (at least 2.0	
Billion viable spores per mg)*	0.048%
Methyl Parathion	
O, O-dimethyl O-p-nitrophenyl	1.52%
Phosphorothioate	0.208%
Related Compounds	98.352%

INERT INGREDIENTS

*Equivalent to potency of 1089 Billion International Units per pound (quart) of this product

KEEP OUT OF REACH OF CHILDREN



**DANGER
POISON
PELIGRO**



PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente

STATEMENT OF PRACTICAL TREATMENT

SYMPTOMS OF POISONING: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness of chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma. If symptoms of poisoning develop from any type of exposure SEND FOR A PHYSICIAN.

FIRST AID: Have patient lie quiet in coolest spot available. If feverish, cool with cold

compresses or by immersion in cool water. Start artificial respiration immediately if patient is not breathing. GET MEDICAL ATTENTION.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF SPLASHED IN EYES: Immediately flush eyes with clear water for at least 15 minutes and get medical attention.

IF SPILLED ON SKIN: Immediately remove contaminated clothing, INCLUDING SHOES, and wash skin with soap and water. If symptoms of poisoning develop, send for a physician and treat as in FIRST AID, above. Discard contaminated clothing and shoes, or clean them thoroughly before reuse.

NOTE TO ATTENDING PHYSICIAN: Antidote—administer atropine sulfate in large doses TWO TO FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

LOS ANGELES POISON CONTROL CENTER: (213) 664-2121
SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT.

DISTRIBUTED
BY



WEST SACRAMENTO, CALIFORNIA

EPA REG. NO. 1202-270-AA
E.P.A. Est. No

NET CONTENTS _____