

## DIRECTIONS FOR USE

Apply when air is calm using power dusting equipment or aircraft. For good control make complete coverage of plant surfaces, treating both upper and lower leaf surfaces.

Apply when mites first appear and repeat at 2-7 day intervals, or as needed to maintain control, but do not use closer to harvest than specified.

### GRAPES:

Spider mites, leaf hoppers — apply 35 lbs. per acre. Apply at petal fall to first cover or whenever insects appear. Do not apply within 7 days of harvest.

### ORANGES, LEMONS & GRAPEFRUIT:

Aphids, red spider mites — apply 50 to 60 lbs. per acre. Do not apply within 7 days of harvest.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.



## DIBROM-KELTHANE 4-4 DUST

Active ingredient —  
Daled

1,1-bis (p-chlorophenyl) ethane  
Trichloroethane

Inert Ingredients:

1,1,2-dibromo-2,2-dichloroethyl  
dimethyl phosphate

U.S. Pat. No. 2,971,882

® T.M. of Chevron Chemical Company

Registered T.M. of Rohm & Haas Co.

EPA Reg. No. 1202-276-AA

## CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed or inhaled. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after using. Avoid contamination of feed and foodstuffs. Do not apply when weather conditions favor drift of dust from areas treated. Do not use on feed or forage to be fed to dairy animals or animals being finished for slaughter.

Empty bags should be buried or burned. (Stay away from smoke). If bags are burned, the ashes should be buried in a safe place.



LOS ANGELES, CALIFORNIA

NET WEIGHT

LBS.

LOT NO.

8 74 CN

Apply to the surface of plants to be treated. Do not apply to water or other liquid. Do not use on treated equipment or other surfaces. Apply to the surface of plants as specified on this label.

## CONDITIONS OF SALE:

Follow directions carefully. Timing and method of applications, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.



**DIRECTIONS FOR USE**

Apply when air is calm using power dusting equipment or aircraft. For good control make complete coverage of plant surfaces, treating both upper and lower leaf surfaces.

Apply when mites first appear and repeat at 2-7 day intervals, or as needed to maintain control, but do not use closer to harvest than specified.

**GRAPES:**

Spider mites, leaf hoppers — apply 35 lbs. per acre. Apply at petal fall to first cover or whenever insects appear. Do not apply within 7 days of harvest.

**ORANGES, LEMONS & GRAPEFRUIT:**

Aphids, red spider mites — apply 50 to 60 lbs. per acre. Do not apply within 7 days of harvest.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.



**DIBROM-KELTHANE®  
4-4 DUST**

Active Ingredients:	
*Naled	4%
1,1-bis (p-chlorophenyl)-2,2,2-Trichloroethanol	4%
Inert Ingredients:	92%
	100%

\*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate  
U.S. Pat. No. 2,971,882  
\*T.M. of Chevron Chemical Company  
\*Registered T.M. of Rohm & Haas Co.

EPA Reg No 1202 278-AA

**CAUTION  
KEEP OUT OF  
REACH OF CHILDREN**


Harmful if swallowed or inhaled. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after using. Avoid contamination of feed and foodstuffs. Do not apply when weather conditions favor drift of dust from areas treated. Do not use on feed or forage to be fed to dairy animals or animals being finished for slaughter.

Empty bags should be buried or burned. (Stay away from smoke). If bags are burned, the ashes should be buried in a safe place.



NET WEIGHT \_\_\_\_\_ LBS. LOT NO. \_\_\_\_\_ 874 CN

This product is toxic to fish, birds, shrimp, crab, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.



**CONDITIONS OF SALE:**

Follow directions carefully. Timing and method of applications, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.