

T

ACCEPTED
NOV 28 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 227-227

DIRECTIONS



**DIBROM[®] THIODAN[®]
4-4 DUST**

CONDITIONS OF SALE:

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

This product is formulated for application by ground or air equipment.

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. May cause irritation of eyes, nose and throat. Avoid breathing dust. Avoid contact with skin, eyes or clothing. In case of contact with skin or eyes, flush with plenty of water for eyes; get medical attention. Wash with soap and water after handling and before eating or smoking; wear clean clothing. Do not store or transport with feed or food. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Workers entering treated areas the day of application should wear protective clothing. Do not use on cherries as injury may result. May corrode metal dust equipment, clean equipment after use. Use of this material in a manner or at a time other than in accordance with the directions may produce plant injury. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

BROCCOLI, CABBAGE, BRUSSELS SPROUTS:

Cabbage Looper, Imported Cabbageworm, Cross-Striped Cabbageworm, Diamond-Back Moth Larvae, Flea Beetle, Harlequin Bug, Stink Bug, Aphids — 25 lbs per acre. Apply when first signs of insect feeding appear and repeat as necessary. Do not apply to Broccoli and Cabbage within 7 days. Do not apply to Brussels Sprouts and Cauliflower within 14 days of harvest.

ACTIVE INGREDIENTS

*Naled 4%
**Endosulfan 4%
INERT INGREDIENTS 92%
1,2-dibromo-2,2-dichloroethyl dimethyl phosphate
**Hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide

By Wt

U.S. Pat. No. 2,971,882

ATM Chemical Company

ATM Chemical Company, a division of American Hoechst Limited
U.S. Pat. No. 2,794,444

READ ENTIRE LABEL CAREFULLY. ALWAYS READ WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. STORE IN COOL, DRY PLACE, OUT OF DIRECT SUNLIGHT.

E.P.A. Reg. No. 120-255-AA

**CAUTION
KEEP OUT OF
REACH OF CHILDREN**

See other precautions on side panel.

Empty cans should be filled, returned, stay with them, smoke if the cans are burned, the cans should be buried in a safe place.



LOS ANGELES, CALIFORNIA

NET WEIGHT -- 50 LBS

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

LETTUCE (HEAD):

Green Peach Aphid, Aphids, Loopers, Imported Cabbage Worm, Diamond-Back Moth Larvae, Armyworms — 20 to 25 lbs per acre. Do not make more than 3 applications after thinning. Do not apply within 14 days of harvest. Remove outside leaves at harvest. Do not feed crop waste to livestock.

PEPPERS:

Green Peach Aphid, Hornworms, Pepper Maggot — 25 lbs per acre. Do not apply within 1 day of harvest.

TOMATOES:

Blister Beetles, Colorado Potato Beetles, Flea Beetles, Green Peach Aphid, Whitefly — 12 lbs per acre. Stink Bugs, Tomato Hornworms — 15 to 25 lbs per acre. Tomato Fruitworms, Yellow Striped Armyworm — 25 lbs per acre. Apply when insects first appear and repeat as required. Dust plants thoroughly, particularly the undersides of the leaves. Do not apply within 1 day of harvest.

GRAPES:

Leafhoppers — 25 to 35 lbs per acre. Apply for thorough coverage and contact at first sign of insects. Repeat as necessary. Do not apply within 7 days of harvest. Do not use on Concord variety of grapes as severe injury is likely to occur.

LOT NO.

275 CN

ACCEPTED

DIRECTIONS

NOV 28 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1262-255



DIBROM® 1
4-4 D

This product is formulated for application by ground or air equipment.

BROCCOLI, CABBAGE, BRUSSELS SPROUTS:

Cabbage Looper, imported Cabbageworm, Cross-Striped Cabbageworm, Diamond-Back Moth Larvae, Flea Beetle, Harlequin Bug, Stink Bug, Aphids — 25 lbs per acre. Apply when first signs of insect feeding appear and repeat as necessary. Do not apply to Broccoli and Cabbage within 7 days. Do not apply to Brussels Sprouts and Cauliflower within 14 days of harvest.

LETTUCE (HEAD):

Green Peach Aphid, Aphids, Loopers, Imported Cabbage Worm, Diamond-Back Moth Larvae, Armyworms — 20 to 25 lbs per acre. Do not make more than 3 applications after thinning. Do not apply within 14 days of harvest. Remove outside leaves at harvest. Do not feed crop waste to livestock.

PEPPERS:

Green Peach Aphid, Hornworms, Pepper Maggot — 25 lbs per acre. Do not apply within 1 day of harvest.

TOMATOES:

Blister Beetles, Colorado Potato Beetles, Flea Beetles, Green Peach Aphid, Whitefly — 12 lbs per acre. Stink Bugs, Tomato Hornworms — 15 to 25 lbs per acre. Tomato Fruitworms, Yellow-Striped Armyworm — 25 lbs per acre. Apply when insects first appear and repeat as required. Dust plants thoroughly, particularly the undersides of the leaves. Do not apply within 1 day of harvest.

GRAPES:

Leafhoppers — 25 to 35 lbs per acre. Apply for thorough coverage and contact at first sign of insects. Repeat as necessary. Do not apply within 7 days of harvest. Do not use on Concord variety of grapes as severe injury is likely to occur.

ACTIVE INGREDIENTS

- *Naled
- **Endosulfan

INERT INGREDIENTS

- *1,2-dibromo-2,2-dichloroethane
- **Hexachlorohexahydromethane oxide

U.S. Pat. No.

T.M. of Chevron Chemical Company

Thorgan is a registered T.M. of Ciba Ltd.
U.S. Pat. No. 2,799,685

READ ENTIRE LABEL. USE STRICTLY AS DIRECTED. FOLLOW ALL PRECAUTIONS, WARNINGS AND DIRECTIONS. OBEY ALL APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. STORE IN A DRY PLACE OUT OF DIRECT SUNLIGHT.

E.P.A. Reg. No.

CAUTION
KEEP OUT OF REACH OF CHILDREN

See the precautions on side panel for use. Do not use on plants that are stressed or diseased. Do not use on plants that are injured by frost or other weather conditions.



LOS ANGELES

NET WEIGHT