



# ETHION-DIBROM-SULFUR 4-4-25

## DIRECTIONS FOR USE

Apply when air is calm using power dusting equipment or aircraft. For good control make complete coverage of plant surfaces, treating both upper and lower leaf surfaces. Apply when mites first appear and repeat at 7-10 day intervals, or as needed to maintain control, but do not use closer to harvest than specified.

### GRAPES:

Apply 20-25 lbs. per acre to control grape leafhoppers, two-spotted mite, Wilamette mite. Do not apply within 15 days of harvest if not dusted more than twice during the fruiting period.

### COTTON:

Apply 25-35 lbs. per acre to control spider mites, lygus bugs. Do not apply after bolls open. Do not graze dairy or meat animals in treated fields. Workers entering treated fields within 24 hours following application should wear protective clothing.

Observe limitations given on the label for forage to be fed to dairy animals or animals being finished for slaughter.

### ACTIVE INGREDIENTS:

Ethion (O,O,O',O'-tetraethyl S,S'-methylene bisphosphorodithioate) . . .	4.00%
*Naled (1,2-dibromo-2,2-dichloroethyl dimethyl phosphate) . . . . .	4.00%
Sulfur . . . . .	25.00%
INERT INGREDIENTS . . . . .	67.00%
	<hr/>
	100.00%

®Ethion U.S. Patent No. 2,873,228  
\*Registered T.M. of Chevron Chemical Co. U.S. Patent No. 2 971,882.

EPA Reg. No. 1202-287 AA

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed or inhaled. May be absorbed through skin. Avoid breathing dust. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

Empty bags should be buried or burned. (Stay away from smoke). If the bags are burned, the ashes should be buried in a safe place.



NET CONTENTS \_\_\_\_\_ LBS LOT NO. \_\_\_\_\_ 8/74 CN

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

## ENVIRONMENTAL CAUTIONS

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

## CONDITIONS OF SALE:

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

