

DIRECTIONS FOR USE

For ground rig or aircraft use. Thorough coverage is essential. Repeat application as necessary. Repeat application as needed.

BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER: Apply 25 lbs. per acre to control imported cabbage worm, cabbage looper, aphids. Do not apply within 7 days of harvest, 3 days of harvest on broccoli.

LETTUCE: Apply 25 lbs. per acre to control cabbage looper, leafhopper, imported cabbage worm, aphids. Do not apply within 14 days of harvest on leaf lettuce, 7 days of harvest on head lettuce.

SPINACH: Apply 25 lbs. per acre to control leafhoppers, cabbage loopers, aphids. Do not apply within 7 days of harvest.

CHERRIES: Apply 50-100 lbs. per acre to control cherry fruit fly, fruit tree leaf roller, bud moth, black cherry aphids. Do not apply within 3 days of harvest. May injure foliage of some varieties.

FLOWERS (Asters, Iris, Stock, Mums, Daisies, Gladiolus): Apply 25-30 lbs. per acre to control aphids, spider mites, white flies, leafhoppers, bagworms.



PERTHANE MALATHION 10-4 DUST

ACTIVE INGREDIENTS:

Diethyl Diphenyl Dichloro-ethane9.5%
Related Compounds5%
Malathion**4.0%

INERT INGREDIENTS:86.0%

*T.M. Reg. U.S. Pat. Off.

By Rohm & Haas 100.0%

**0, 0-dimethyl dithiophosphate of diethyl mercaptosuccinate

EPA Reg. No. 1202-293-AA

CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid breathing of dust. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

Empty bags should be buried or burned. (Stay away from smoke). If the bags are burned, the ashes should be buried in a safe place.



LOS ANGELES, CALIFORNIA

NET WEIGHT 50 LBS.


ENVIRONMENTAL CAUTION

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

CONDITIONS OF SALE:

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.



LOT NO. 8/74 CN