

Apply at first sign of mites or when mite population appears. Repeat as necessary. Do not apply within 7 days of harvest.

CANTALOUPE—European Red Mites, Spider Mites—45 to 50 lbs. per acre. Apply at first sign of mites and repeat as necessary. Do not apply within 2 days of harvest.

CANTALOUPE, CUCUMBERS, SQUASH, MELONS, WATERMELONS—Two-Spotted Mite, Pacific Mite—30 lbs. per acre. Apply at first sign of mites and repeat as necessary. Do not apply within 2 days of harvest.

CITRUS—Citrus Red Mite, Citrus Flat Mite, Six-Spotted Mite, Yuma Mite, Two-Spotted Mites, Pacific Mite—60 to 70 lbs. per acre. Apply when mites first appear and repeat as necessary. Do not apply within 7 days of harvest.

COTTON—Pacific Mite, Atlantic Mite, Two-Spotted Mite, Red Spider Mites—30 lbs. per acre. Do not apply within 14 days of harvest. Do not feed treated forage to meat or dairy animals.

PEACHES, PLUMS, PRUNES—Spider Mites—35 pounds per acre. Apply at petal fall to first cover or whenever mite population appears. Do not apply within 7 days of harvest. If repeat application is necessary wait 30 days.

GRAPES—Spider Mites—30 pounds per acre. Apply at petal fall to first cover or whenever mite population appears. Do not apply within 7 days of harvest.

HOPS—Two spotted and Pacific Mite—30 lbs. per acre. Apply when first mites appear. Repeat as necessary. Do not apply within 7 days of harvest.

LOT NO.

QUANTITY

NET WEIGHT

1 lb.



KELTHANE[®] SULFUR 5-30 DUST

Active Ingredients:

1,1-bis (p-chlorophenyl)-2,2,2-trichloroethanol	5%
Sulfur	30%
Inert Ingredients	65%
	100%

EPA REG. NO. 1202-295-AA

U.S. Reg. U.S. Pat. Off. by Rohm & Haas Co.

CAUTION KEEP OUT OF REACH OF CHILDREN

Avoid breathing dust. Avoid contamination of feed and foodstuffs. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for safe use or consumption.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Empty bags should be buried or burned. (Stay away from smoke). If bags are burned, the ashes should be buried in a safe place.



PEACHES, NECTARINES—Spider Mites—40 to 40 lbs. per acre. Do not apply within 14 days of harvest.

PEARS—European Red Mites, Two-Spotted Mites, Brown Almond Mites, Pacific Mites—45 to 50 lbs. per acre. Apply as mites appear and repeat as necessary. Thorough coverage is essential. Do not apply within 7 days of harvest.

STRAWBERRIES—Two-Spotted Mite, Pacific Mite—45 lbs. per acre. Apply when mites appear and repeat as necessary. Do not apply within 2 days of harvest.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish, shrimp, and crabs. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

CONDITIONS OF SALE—Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material, not in strict accordance with directions given herewith.