

(1203-8)

This product is a ready to use space spray insecticide for control of flies, mosquitoes, gnats, wasps, flying moths, hornets, and other small flying insects in interior areas. Frequent spraying of breeding places such as stagnant water and garbage cans also helps in the control of mosquitoes and flies.

EFFECTIVE

Quick knock-down and high rate of kill cut down insect populations.

RECOMMENDED FOR USE IN . . .

Offices, stores, factory work areas, warehouses, dairies, granaries, elevators, food plants, or wherever the flying insect population has increased to an intolerable level. A thorough job is best done during the off hours.

NOTE

Contains less than 1.0% by weight of technical piperonyl butoxide as limited for use of certain insecticides covered in Section 8.4(b) (6) U.S.D.A. Manual of Meat Inspection Procedures.

Rev. 487

Delta
FORTEMOST

4840

A A FLY SPRAY

ACTIVE INGREDIENTS 100%

Petroleum Distillate
Technical Piperonyl Butoxide*
Pyrethrins
*Consisting of (butylcarbityl) (5-propylpiperonyl) ether and related compounds

ACCEPTED
9-20-67
1203-7

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Read caution statement on side panel.

Net Contents Gal.

Delta CHEMICAL CORPORATION
3915 AIR PARK STREET, MEMPHIS, TENNESSEE, 38118

Easy to Use . . .

DIRECTIONS

For best results, use in a good sprayer or atomizer adjusted to deliver a fine mist. Treat infested areas, thoroughly and repeat application as needed. Whenever possible, keep windows and doors closed for 10 minutes after spraying.

In the control of flying insects, direct the spray toward the upper portions of the enclosure, and fill the atmosphere with mist, using two to three ounces to each 1,000 cubic feet of space.

Use the product as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using.

CAUTION: Keep away from open flame. Harmful if swallowed. If swallowed do not induce vomiting. Call a physician at once. If brought into repeated contact with skin this solution can cause toxic symptoms. Avoid inhalation and skin contact. In case of spillage on skin wash with soap and water. Avoid contamination of food products. Do not use on domestic animals, household pets or human beings. Remove cats, birds and fish bowls from room before spraying. Do not spray near or toward an open flame.

NOTICE

The use of this product being beyond our knowledge and control and involving elements of risk if misused, we do not make any warranty expressed or implied as to the effects of any use not in explicit accordance with the claims, directions and cautions set forth on this label

U.S.D.A. Reg. No. 1203-8