

Delta
Foremost®

4810
HD 22 INSECT SPRAY

1203-11

JAN 17 1975

ACTIVE INGREDIENTS

Petroleum distillate
Piperonyl butoxide
Pyrethrins

100%

*Equivalent to 0.8% (butyl carbityl) (6-propyl piperonyl) ether and 0.2% related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Keep away from heat and open flame.
Read additional caution statement on side panel.

Delta Foremost Chemical Corp.

3915 AIR PARK STREET, MEMPHIS, TENNESSEE, 38118

In mills, elevators, and granaries, spray floors, walls and other surfaces of bin, storage and handling areas thoroughly, with particular attention to cracks, crevices, and similar protective locations. Waste grain, dust, dirt and debris should be removed and destroyed, and storage areas cleaned before spraying. Treat unloading and processing areas and apply the insecticide to conveying, processing and handling equipment such as the inside of reel conveyors, purifier conveyors, sifters, roll-housing hoppers, and pick-up conveyors. Spray thoroughly around the base of heavy machinery and equipment.

Use the product as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using.

Remove pets, birds and cover fish aquariums before spraying.

Do not reuse empty drum. Return to drum reconitioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

NOTICE

The use of this product being beyond our knowledge and control and involving elements of risk if misused, we do not make any warranty, expressed or implied as to the effects of any use not in explicit accordance with the claims, directions and cautions set forth on this label.

Caution: Do not spray near or toward an open flame. Avoid contamination of food products. If swallowed, do not induce vomiting. Call a physician.

EPA Registration No. 1203-11
EPA Est. 1203-TN-1

1203-11
1/17/1975
page 1 of 2

292

**EFFECTIVE
KILLS ON CONTACT . . .**

The exposed stages of flies, mosquitoes, gnats, silverfish, crickets, spiders, scorpions, wasps, hornets, flying moths, box-elder bugs, clover mites, ants, granary weevil, confused flour beetle, rust red beetle, cadelle, sawtoothed grain beetle, angoumois beetle, drug stores beetle, cheese skipper, cheese mites, and grain mites.

RECOMMENDED FOR USE IN . . .

Dairies, packing granaries, elevators, and warehouses where effective, fast acting insecticide is required. As a space or vapor spray, it gives rapid kill of flying stages. As a contact spray, it kills certain crawling stages.

Easy to Use . . .

DIRECTIONS

For best results, use in a good spray, or atomizer adjusted to deliver a fine mist. Treat infested areas, thoroughly and repeat application as needed. Whenever possible, keep windows and doors closed for 10 minutes after spraying. Do not remain in treated areas; ventilate the area after treatment is complete.

In the control of flying insects, direct the spray toward the upper portions of the enclosure, and fill the atmosphere with mist, using two to three ounces to each 1,000 cubic feet of space.

In the control of running and crawling pests, use as a contact and surface insecticide, apply in a good machine adjusted to deliver a coarse droplet spray, using approximately one gallon of material to each 375 square feet of surface. Spray on exposed insects. Repeat application as needed.

Rev. 10-74