

EFFECTIVE:

Cleans, sanitizes and reodors in one operation.

DEODORIZES:

Leaves a pleasant pine scent.

ECONOMICAL:

Highly concentrated for maximum economy. Simply dilute with water.

VERSATILE:

Recommended for restrooms, public places, sinks, refrigerators, chicken coops and animal shelters.

EASY TO USE**DIRECTIONS:**

Always add water to the Pine Oil Disinfectant when making emulsion solutions. The water temperature should be about 98° F. Be certain that all dirt is swept up before application. Cover all infected surfaces thoroughly.

Rinse empty container thoroughly with water and discard it.

DISINFECTING:

1. Add 2 ounces of the concentrate to one gallon of water, (50 parts of water to one part Foremost Pine Oil Disinfectant), and agitate.
2. Apply to the entire surface by potting, spraying, mop, brush, or sponge.
3. All food contact surfaces must be thoroughly scrubbed with detergent and rinsed with water prior to use.

ACCEPTED

21 JUL 1978

U.S. DEPARTMENT OF AGRICULTURE
 FOREST SERVICE
 REGION 1
 1203-12

4520

PINE OIL DISINFECTANT

Phenol Coefficient 5 A O A.C. Method vs. s. Typhosa

SANITIZES—CLEANS—DEODORIZES

WT.

WARNING: KEEP OUT OF REACH OF CHILDREN:

Harmful if swallowed. Avoid contamination of food. If swallowed, do not induce vomiting. Vomiting may be harmful. Consult a Physician. Read additional Warning Statement on right panel.

NET CONTENT GAL

Delta Foremost Chemical Corp.**POULTRY HOUSES AND ANIMAL SHELTERS:**

- (a) Remove all animals, poultry and feeds from premises, cars, boats, trucks, coops, and crates.
- (b) Remove all litter and manure from floors, walls, and surfaces of barn, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals.
- (c) Empty all troughs, racks and other feeding and watering appliances.
- (d) Saturate all surfaces with recommended solution.
- (e) Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scraps.
- (f) Ventilate buildings, cars, boats, coops and other closed spaces. Do not house poultry, livestock or employ equipment until treatment has been absorbed, set or dried.
- (g) All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

WARNING:

Causes eye or skin irritation. Do not get in eyes, or on skin or on clothing.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 mins. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a Physician.

EPA Reg. No. 1203-12 EPA Est. No. 1203-TN-1