

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

General—This product is a concentrate to be mixed with water before use. It should not be used in conjunction with soap or other anionic detergent. However it is compatible with detergents of cationic or non-ionic type.

HOSPITAL AND RESTAURANT USE

For disinfection of walls, floors, lavatory fixtures, sickroom utensils and other surfaces, after cleaning, use a solution containing one ounce of concentrate to one gallon of water.

Dishes, glassware, and other food utensils after cleaning, can be sanitized with a solution containing one ounce of concentrate to four gallons of water and allow at least one (1) minute contact time. Recommended dilution should conform with local health department recommendations.

Deodorize by mopping or spraying a solution containing one ounce of concentrate to one gallon of water.

SANITIZATION OF DAIRY EQUIPMENT

Clean and rinse thoroughly all cans, pails, strainers, milking machine parts and related equipment. Then rinse with sanitizing solution containing one ounce of concentrate to four gallons of water at a least one (1) minute contact time. Allow to drain thoroughly and air dry. The same dilution is also recommended for flank and udder washing prior to milking. Follow recommendation of your health department.

This concentrate product fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in waters up to 550 ppm (32 grains per gallon) of hardness calculated as CaCO_3 when tested by the method outlined by Chambers.

MEAT, POULTRY AND FOOD PROCESSING PLANTS

Clean and rinse equipment thoroughly. Then scrub with a solution of one ounce of concentrate to four gallons of water with at least one (1) minute contact time. Allow surfaces to drain thoroughly and air dry before use. On surfaces difficult to clean completely, such as meat cutting boards, increase strength of solution to one ounce to one gallon of water and rinse with potable water.

POULTRY HOUSES AND EQUIPMENT

Used as directed, the product is odorless, effective and non-corrosive to utensils. Houses, feed utensils and water fountains should be thoroughly cleaned, disinfected and rinsed with potable water before a new flock is placed in the house. Feeders should be cleaned, disinfected and rinsed with potable water daily. Use in the hatchery to disinfect trays, incubator and hatching

PH 31
Delta

Foremost

1690

QUAD-DIS

ACTIVE INGREDIENTS

n-Alkyl (C_{12} 40%, C_{14} 50%, C_{16} 10%)
dimethyl benzyl ammonium chloride

INERT INGREDIENTS

10.0%

90.0%

Total 100.0%

SANITIZES

DISINFECTS

DEODORIZES

SOLD FOR COMMERCIAL AND INDUSTRIAL PURPOSES ONLY.

DANGER: KEEP OUT OF REACH OF CHILDREN.

Read carefully other precautions on right panel.

Delta Foremost Chemical Corp.

3915 AIR PARK STREET, MEMPHIS, TENNESSEE 38130

BEST AVAILABLE COPY

PH 31 1203-14
MB2
ACCEPTED

SEP 28 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 1203-14

TO DEODORIZE, use one to two ounces per cubic foot.

STORAGE AND DISPOSAL

Store in a cool, dry place, away from heat.

PESTICIDE DAMAGE AND SPILL PROCEDURE

Avoid exposure to extreme temperatures.

At contact with skin, wash with running water.

PESTICIDE DISPOSAL

Residues, spray mixtures, and containers should be disposed of in accordance with local, state, and federal regulations.

CONTAINER DISPOSAL

Empty containers should be cleaned, rinsed, and then disposed of in accordance with local, state, and federal regulations.

Containers should be punctured and disposed of in a suitable container, or by other means approved by state and local authorities, by burning, if burned.

PRECAUTIONARY STATEMENTS

Hazard to Human and Domestic Animals

DANGER:

KEEP OUT OF REACH OF CHILDREN. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from area treated. Do not contaminate water by cleaning of equipment or disposal of waste. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and then only after notifying the local authority in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewerage authority. For more guidance, consult your State Water Board or Regional Office of the EPA.

ROR CHEMICAL EMERGENCY CALL: INTRAC - 800 535-5053

EPA Reg. No. 7203-14

FORM 100-100-100

BEST AVAILABLE COPY