

ACCEPTED
SPOT APPLICATION IN NON-FOOD AREAS:

Includes: garbage rooms, laboratories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, closets and storage (after canning and bottling).

IMPORTANT — Spray until wet only infested surfaces.

ROACHES, WATER BUGS, CRICKETS, SILVERFISH: Apply thoroughly to infested areas, such as cracks, crevices, along water pipes, under sinks, baseboards, areas behind shelving, and underneath book shelves. Will not stain woodwork. For effective control, repeat application as required.

FLIES, MOSQUITOES: Use outdoors only: For killing and preventing the entry of these insects indoors, spray a heavy coarse spray on the outside surfaces of doors, windows, screens, around light fixtures, on open porches, and other surfaces where these insects appear. Also may be used around garages, sheds, outhouses, and garbage cans, by spraying a heavy coarse spray on infested surfaces where the pests crawl or appear. Repeat treatment as often as needed.

SPIDERS, SCORPIONS, WASPS, CENTIPEDES: Apply a heavy spray until infested areas are wet: such as around window frames, door sills, or wherever these insects may enter the building. To effectively control these pests in non-household structures, such as garages and outhouses, spray infested surfaces over which they crawl or appear. For best residual control repeat as needed.

ANTS: Spray until wet along the back of shelves, and the openings around the pipes, heat ducts, electrical outlets, or baseboards where ants may come out into rooms from wall spaces and partitions and ant trails. To maintain effective control repeat application as often as necessary.

Delta
Foremost®

4883-ES
**RESID-U-CIDE
 INSECTICIDE
 LIQUID**



EXTRA SPECIAL



ACTIVE INGREDIENTS:

o-Isopropoxyphenyl Methylcarbamate	0.67%
Petroleum Distillate	55.96%
Inert Ingredients:	
Dichlorodifluoromethane	16.67%
Trichloromonofluoromethane	16.67%
Other Inert Ingredients	10.03%
Total Inert Ingredients—	43.37%
	100.00%

KILLS: Roaches, Waterbugs, Ants, Silverfish, Spiders, Flies, and Mosquitoes.

WARNING: KEEP OUT OF REACH OF CHILDREN.
 Contents under pressure. Do not puncture.
 Do not use or store near heat or open flame.
 Read warning statement on the side panel.

Delta CHEMICAL CORPORATION
 3916 AIR PARK STREET, MEMPHIS, TENNESSEE, 38130

BROWN DOG TICKS: Treat thoroughly the same as for roaches. Spray heavy application around baseboards, window and door frames, wall cracks, sleeping quarters of pets, and other infested surfaces. Spray infested areas of flooring and floor coverings. Fresh bedding should be placed in animal's quarters following treatment. Do not treat pets or other animals. The frequency and extent of application required to infested surfaces will depend upon the source and intensity of the infestation.

Recommended for maintenance control of insect infestation in industrial plants, warehouses, around bakeries, dairies, restaurants, hotels, motels, food processing plants, and clubs.

APPLICATION WITHIN FOOD AREA OF FOOD HANDLING ESTABLISHMENTS: Limited to Cracks and Crevice Treatment Only:

Includes areas for receiving, storage, packing, (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area). Apply in small amounts directly into cracks and crevices using only pressurized spray equipped with an insection tube that can deliver a pencil thin stream of insecticide directly into cracks and crevices, between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, where roaches, water bugs, crickets, silverfish, spiders, ants and brown dog ticks to be killed hide. Care should be taken to avoid depositing the product or exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT IS NOT PERMITTED.

WARNING:

KEEP OUT OF REACH OF CHILDREN. Do not allow children to contact treated surfaces until surfaces are completely dry. Do not use as a space spray. Avoid breathing of spray mist. May be harmful if swallowed or inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water, wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. To physician — Atropine sulfate is antidote. Keep away from heat or open flame. Remove pets and cover fish bowls before spraying.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of waste. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

Do not puncture. Contents under pressure. Do not use or store near heat or open flame. Exposure to temperature above 130°F may cause bursting. Never throw container into fire or incinerator.

FIRE HAZARD — Do not spray into or near fire or open flame. Do not smoke while spraying.

NOTICE

Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such as and/or handling is contrary to label instructions.

Can Size 20 oz
 Net. Wt. 1 lb. 2 oz
 EPA Reg. No. 4203-3

1203-39

10/03/1974

1/1