

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

General—This product is a concentrate to be mixed with water before use. It should not be used in conjunction with soap or other anionic detergent. However it is compatible with detergents of cationic or non-ionic type.

HOSPITAL AND RESTAURANT USE

For disinfection of walls, floors, lavatory fixtures, sickroom utensils and other surfaces, after cleaning, use a solution containing one ounce of concentrate to one gallon of water, and allow at least ten (10) minutes contact time.

Dishes, glassware, and other food utensils after cleaning, can be sanitized with a solution containing one ounce of concentrate to two gallons of water and allow at least one (1) minute contact time. Recommended dilution should conform with local health department recommendations.

Deodorize by mopping or spraying a solution containing one ounce of concentrate to one gallon of water.

SANITIZATION OF DAIRY EQUIPMENT

Clean and rinse thoroughly all cans, pails, strainers, mixing machine parts and related equipment. Then rinse with sanitizing solution containing one ounce of concentrate to 5 gallons of water at a least one (1) minute contact time. Allow to drain thoroughly and air dry. The same dilution is also recommendation of for flank and udder washing prior to milking. Follow recommendation of your health department.

This concentrated product fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in waters up to 550 ppm (32 grains per gallon) of hardness calculated as CaCO₃ when tested by the method outlined by Chambers.

MEAT, POULTRY AND FOOD PROCESSING PLANTS

Clean equipment thoroughly with an acceptable cleaner followed by a potable water rinse. Then scrub with a solution of 3 ounces of concentrate to 5 gallons of water (600 PPM). Follow this with a rinse solution of 1 ounce to 5 gallons of water (200 PPM) with at least one minute contact time. Allow surface to drain thoroughly and air dry before use.

POULTRY HOUSES AND EQUIPMENT DISINFECTANT:

used as directed, the product is odorless, effective and non-corrosive to utensils.

(a) Remove all poultry and feed from premises, coops and crates.

(b) Remove all litter and droppings from floors, walls and surfaces occupied or traversed by poultry.

(c) Empty all troughs, racks, and other feeding and watering appliances.

(d) Clean and disinfect thoroughly. Saturate all surfaces with recommended solution. Feeders should be cleaned and disinfected daily.

(e) Ventilate buildings, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set or dried.

(f) All treated feed racks, mangers, trough, automatic feeders, fountains, and waterers must be thoroughly rinsed with potable water prior to reuse.

Use in the hatchery to disinfect trays, incubators and hatchers. Thorough sanitization will help reduce losses due to "exploders" and other infections.

HMZ
Delta
1203-40
10/2

Foremos

1691-ES

QUAD-DIS PLUS

ACCEPTED
SEP 28 1994
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1203-40

ACTIVE INGREDIENTS

n-Alkyl (C₁₂ 40%, C₁₄ 50%, C₁₆ 10%)
dimethyl benzyl ammonium chloride 12.5%

INERT INGREDIENTS 87.5%

Total 100.0%

SANITIZES

DISINFECTS

DEODORIZES

SOLD FOR COMMERCIAL AND INDUSTRIAL PURPOSES ONLY.

DANGER: KEEP OUT OF REACH OF CHILDREN.

Read carefully other precautions on right panel.

Net Contents ^{Gallon}
Delta Foremost Chemical Corp.

3915 AIR PARK STREET, MEMPHIS, TENNESSEE 38130

BEST AVAILABLE COPY

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURE: Store upright at room temperature. Avoid exposure to extreme temperature. In case of spill or leakage, soak up with an absorbent material. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water must be disposed of according to label instructions at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS

Hazard to Human and Domestic Animals

DANGER:

KEEP OUT OF REACH OF CHILDREN. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from area treated. Do not contaminate water by cleaning of equipment or disposal of waste. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

FOR CHEMICAL EMERGENCY CALL:

INFOTRAC 1-800-535-5053

Rev. 9-6-94

EPA Reg. No. 1203-40

EPA Est. 1203-TN-1

BEST AVAILABLE COPY