

1203-46  
PM-15 1/1



**DIRECTIONS FOR USING**

**APPLICATION OF THIS PRODUCT IN THE FOOD AREA OF FOOD HANDLING ESTABLISHMENTS IS NOT PERMITTED.**

**DO NOT USE:** Fly Crystals are not to be used inside homes or where milk is processed or stored or where poultry can feed on the crystals. Inside poultry establishments, meat and food processing plants, and restaurants. Finished floors may be scratched if Fly Crystals are trodden under foot. To avoid skin contact when applying Fly Crystals, use a rubber glove of a type found in most drug stores.

Use Reprieve Fly Crystals where flies congregate and breed in and around such places as DAIRY BARNs, MARKETs, CAFEs, OPEN AIR THEATREs, ENTRANCES TO HOMES, COMMERCIAL BUILDINGs AND STOREs, OUT DOOR RECREATION AREAs such as PARKs, PICNIC GROVEs, FAIRs AND CAMPS, ZOOs, PATIOs, PORCHEs, KENNELs, GARBAGE CANS, DUMPS, AND INCINERATORs.

**FLY CRYSTALS GIVE YOU TWO-WAY KILL:** Reprieve Fly Crystals are highly attractive to adult flies and kill adults that feed upon or contact the crystals if the crystals remain dry and within reach of the flies. When moisture contacts the crystals the toxicant enters the moisture and is dispersed in all directions. In this manner the poison contacts the maggots and kills them.

• **FOR ADULT (winged) FLIES:** Simply scatter the crystals by hand where flies congregate. Never pile the crystals! Scatter them! For both quick and lasting reduction of flies: first, scatter the crystals over enough of the area that all the flies have an opportunity to feed upon or touch the crystals very soon; and second, also treat as many places as possible where the crystals may remain dry and uncovered. Apply 5 times weekly until the fly population is reduced. After that apply as necessary. Use 3 to 4 oz. per 100 square feet of area actually treated.

• **FOR MAGGOTS:** Use more care. Scatter evenly and thoroughly over the entire infested area. Use about six inches or more around all sides. Thorough, even coverage is essential.

• **FOR BOTH MAGGOTS AND ADULTS:** Use 1 lb. to 1½ lbs. per 100 square feet of area treated. Apply to the ground floors, ledges, window sills, shelves, litter, garbage, manure and similar areas where flies congregate or breed. Apply evenly and thoroughly to breeding areas. Repeat as needed for House Fly, Stable Fly, Blow Fly and Maggots.

• **FOR GARBAGE DUMPS, DISPOSAL AREAS:** Scatter by hand or with a rotary hand duster onto the garbage or wherever the flies congregate. Use 2 to 4 oz. per 100 square feet.

**FOR USE ON THE OUTSIDE OF HOTELS, MOTELS, FOOD PROCESSING PLANTS, RESTAURANTS, SUPERMARKETS, STOCK YARDS, POULTRY ESTABLISHMENTS:** Scatter the Reprieve Fly Crystals thoroughly around all refuse cans, garbage and other litter where the crystals can remain dry as long as possible.

**IN LIVESTOCK BARNs AND HOG PENS:** Apply to dirt, manure, litter or concrete floors for an initial reduction of flies and also to as many places as available where the Reprieve Fly Crystals can remain dry and uncovered for a maximum length of time, such as discussed above for dairy barns.

Apply daily until fly breeding is reduced; then treatment every 3 or 4 days should be sufficient.

# Foremost

4892

Under Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1203-46

## REPRIEVE FLY CRYSTALS

<b>ACTIVE INGREDIENTS</b>	
Dichlorvos (2,2-dichlorovinyl dimethyl phosphate) (DDVP)	0.557%
Related Compounds	0.043%
<b>INERT INGREDIENTS</b>	99.400%
<b>Total</b>	<b>100.000%</b>

**CAUTION: KEEP OUT OF REACH OF CHILDREN.**

Read further caution statements on right panel.

NET CONTENTS \_\_\_\_\_ LBS.  
**Delta Foremost Chemical Corp.**  
3016 AIR PARK STREET, MEMPHIS, TENNESSEE, 38130

**DIRECTIONS FOR USING (CONT'D)**

**USE REPRIEVE FLY CRYSTALS IN DAIRY BARNs:** Scatter Reprieve Fly Crystals on the floor of the milking area such as in Feed Chute Aisles or Stanchion area and in Entrances. For best results clean floor and apply soon after floor dries. The killing action can be prolonged by using on Window ledges away from feed troughs, on Floors not Washed Daily, on Feed Room Floors and similar areas. Leave for as many days as the flies continue to die or reapply after each clean-up treatment; then when fly population is reduced reapply as necessary. Do not get in feed. Do not feed the floor sweepings to livestock.

**POULTRY AND RABBITS ON WIRE:** Scatter on the Manure and other places where flies settle such as Feed Rooms and Egg Houses. Against adult flies, where manure is dry apply about one-third to one-half handful every two or three yards. Treat all damp or wet areas heavily at 1 to 1½ lbs. per 100 square feet as described above for maggots.

**POULTRY ON GROUND OR LITTER:** Apply where poultry cannot feed upon the crystals. Use in Manure Pits under Roosts against maggots and adults at 1 lb. to 1½ lbs. per 100 square feet. Apply in windows on ledges, in walkways, on narrow shelves, and on Feed Room Floors where out of reach of the poultry.

Keep tightly closed when not in use to preserve killing power.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE AND SPILL PROCEDURE:** Store upright at room temperature. Avoid exposure to extreme temperature. In case of spill or leakage, soak up with an absorbent material. Dispose of with chemical waste.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinse water must be disposed of according to label instruction at or by an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedure.

**CAUTION**

Contains DDVP. Harmful if swallowed. Avoid contact with skin. Wash thoroughly after using and before eating or smoking. Avoid contamination of food and foodstuffs. Keep out of reach of children, poultry and domestic animals. DDVP may cause cholinesterase inhibition. If poisoning occurs get prompt medical aid. Atropine is antitoxin.

**STATEMENT OF PRACTICAL TREATMENT**

If Swallowed: Contact a physician or Poison Control Center. Do not induce vomiting unless directed by a physician. This product contains a high amount of petroleum distillate. Vomiting may cause aspiration pneumonia.

If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

If In Eyes or on Skin: Flush with plenty of water. Contact a physician if irritation persists.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

FPA REG. NO. 1203-46

EPA Est. 1203-TM-1