

NOV 21 1985

Mr. Hashal Golden
Delta Foremost Chemical Corp.
3915 Air Park Street
Memphis, TN 38130

301 / 146251
17 / 4

Dear Mr. Golden:

Subject: Amendment-Update Labeling
Foremost 4890-ES Fly Crystals
EPA Registration No. 1203-48
Your Application Dated February 4, 1985

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing the following revision should be made:

Revise your pesticide disposal statement in the Storage and Disposal element to read:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

88095:LaRocca:RD-75:KENCO:11/19/85:11/27/85:DAA:VC

CONCURRENCES

SYMBOL	SURNAME	DATE						
▶	▶	▶						

Delta

DIRECTIONS FOR USING

Foremost[®]

4890-ES

FLY CRYSTALS

AC E T E
 Nov 21 1968
 Unit: For 1 Insecticide, Fungi, and Rodenticide Act. as amended, for the pesticide registered under EPA Reg. No. 1203-48

ACTIVE INGREDIENTS

Malathion (O, O-Dimethyl dithiophosphate of diethyl Mercaptosuccinate)	1.000%
Dichlorvos (2,2 dichlorovinyl dimethyl phosphate)	0.558%
Related Compounds	0.042%
INERT INGREDIENTS	98.400%
Total	100.000%

SOLD FOR COMMERCIAL AND INDUSTRIAL PURPOSES ONLY.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Read further caution statements on right panel.

NET WT. LBS.
Delta Foremost Chemical Corp.
 3915 AIR PARK STREET, MEMPHIS, TENNESSEE, 38130

DIRECTIONS FOR USE

- USE FLY CRYSTALS IN DAIRY BARN. Scott floor of the milking area - such as Feed Churns, in Entrances. For best results clean floor and dries. The killing action can be prolonged by away from feed troughs, on Floors not wash Floors and similar areas. Leave for as many as 24 hours or reapply after each clean up treatment, as reduced reapply as necessary. Do not get fly sweepings to livestock.
- POULTRY AND RABBITS ON WIRE. Scatter places where flies settle such as Feed Rooms, adult flies, where the manure is dry, apply at hand full every two or three yards. Treat all dams 1 to 1 1/2 lbs. per 100 square feet as described. POULTRY ON GROUND OR LITTER. Apply w upon the crystals. Use in Manure Pits under and Adults. Do not apply more than 1 lb. per 25 650 square feet. Apply in windows on ledges shelves, and on Feed Room Floors where out. Keep tightly closed when not in use to preserve.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage. **PESTICIDE STORAGE AND SPILL PROCEDURE:** Avoid exposure to extreme temperature. In case of leakage, soak up with an absorbent material. **PESTICIDE DISPOSAL:** Pesticide spray mixture disposed of according to label instructions at disposal facility. **CONTAINER DISPOSAL:** Triple rinse for recycling or reconditioning or puncture and landfill or by other approved state and local practice.

CAUTION

Contains DDVP and Malathion. Harmful if absorbed through the skin. Avoid contact with after using and before eating or smoking. Avoid contact with food. Keep out of reach of children. DDVP and Malathion may cause choking poisoning occurs get prompt medical aid. At the time of use, avoid breathing the dust. **STATEMENT OF PRACTICAL TR**
 If Swallowed, Contact a physician or Poison Center immediately unless directed by a physician. high amount of petroleum distillate. Vomiting. **Phenacene**
 If Inhaled: Remove affected person to fresh air immediately. **If Eyes or on Skin:** Flush with plenty of water immediately persists.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not apply to contaminate water by cleaning of equipment. Apply this product only as specified on this label. Buyer assumes all risks of use, storage or handling in accordance with directions given hereon. EPA Reg. No. 1203-48

APPLICATION OF THIS PRODUCT IN THE FOOD AREA OF FOOD HANDLING ESTABLISHMENTS IS NOT PERMITTED

DO NOT USE: Fly Crystals are not to be used inside homes or where milk is produced or stored or where poultry can feed on the crystals. Inside poultry establishments, meat and food processing plants, and restaurants. Finished floors may be scratched if Fly Crystals are trodden under feet. To avoid skin contact when applying Fly Crystals, use a rubber glove of a type found in most drug stores.

Use FLY CRYSTALS when FLIES congregate and breed in and around such places as DAIRY BARN, MARKETS, CAFES, OPEN AIR THEATRES, ENTRANCES TO HOMES, COMMERCIAL BUILDINGS AND STORES, OUT-DOOR RECREATION AREAS such as PARKS, PICNIC GROUNDS, FAIRS and LAMPS, ZOO'S, PATIOS, PORCHES, KENNELS, CARPENS, CANIS, DUMPS, and INCINERATORS.

• FLY CRYSTALS GIVE YOU TWO WAY KILL. FLY CRYSTALS are highly attractive to adult flies and kill adults that feed upon or contact the crystals. If the crystals remain dry and within reach of the flies. When moderate contacts the crystals the toxicant enters the moisture and is dispersed in all directions. In this manner the poison contacts the maggots and kills them.

• FOR HOUSE FLY, SWARM FLIES, SIMULI, Scatter the crystals by hand above flies, congregate. Avoid lawns, lawns. Scatter them. For both house and swarming flies, use Fly Crystals. First, scatter the crystals over enough of the area that the flies have any opportunity to feed upon or touch the crystals on a warm and sunny day. Treat as many places as possible where the crystals may be trodden and uncovered. Apply 5 times weekly until the fly population is reduced. After that apply as necessary. Use 1 lb. per 100 square feet of area actually treated.

• FOR MIDGE, BLOW FLY, AND HOUSE FLY. Scatter evenly and thoroughly over the entire infested area. Use about 100 lbs. per 1000 sq. ft. around all sides. Do not apply over manure or garbage.

• FOR BEEF MAGGOTS AND ADULTS. Use 1 lb. per 100 sq. ft. per 100 square feet of area treated. Apply to the ground floors, ledges, window sills, shelves, litter, garbage, manure and similar areas where flies congregate or breed. Apply evenly and thoroughly to breeding areas. Repeat as needed for HOUSE FLY, STABLE FLY, BLOW FLY AND MIDGE.

• FOR GARBAGE DUMPS, DISPOSAL AREAS. Scatter by hand or with a blower, hand blower onto the garbage or wherever the flies congregate. Use 1 lb. per 100 square feet.

• FOR USE ON THE PREMISES OF HOTELS, MOTELS, FOOD PROCESSING PLANTS, RESTAURANTS, SUPER MARKETS, STOCK YARDS, POULTRY STABLES, MINNIE, Scatter the FLY CRYSTALS thoroughly around all refuse cans, garbage and other litter where the crystals can remain dry as long as possible.

• FLY CONTROL IN BARN AND HORSE PEN. Apply to the manure either on concrete floors for an initial application. Flies are also to be many places are available when the FLY CRYSTALS are trodden dry and dispersed for a maximum amount of time. Scatter as described above for many barns. Apply crystals only by broadcasting or dusting. Repeat treatment every 4 or 5 days as needed for 30 days.