

Reg # 1203-67

PM-17

An Effective Semi-Concentrated PYRENONE® Insecticide.

For application in Specialized Mechanical, Thermal, or Compressed Air Fogging Equipment.

For Use in Bakeries, Food Plants, Restaurants, Hotels, Motels, Hospitals, Schools, Office Buildings, Food Processing or Handling Plants, and Warehouses

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This ready-to-use concentrate may be dispersed through good mechanical, thermal or compressed air fogging or spraying equipment. If used in edible product areas of Federally inspected meat, poultry, shell egg trading and egg product establishments, it must be dispersed as an aerosol spray (no droplets over 50 Microns in diameter and 80% less than 30 microns).

SPACE TREATMENT: Close doors and windows and shut off ventilating systems. Apply as a fog or fine mist, distributing the spray throughout the area. Use at a rate of 1 ounce per 1000 cubic feet of space. Direct spray behind and under obstructions and contact crawling insects whenever possible. Keep area closed for 10 to 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary. For wasps and hornets, spray late in the evening when insects are at rest.

The above described application will kill accessible exposed stages of house flies, fruit flies, mosquitoes, silverfish, small flying moths, gnats, crickets, cockroaches, spiders, scorpions, wasps, hornets, clerid mites, cheese mites, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, tobacco moths, meal worms, and grain mites.

SURFACE APPLICATION: To insure maximum control of crawling insects listed, apply as a coarse mist directed toward insects, into cracks, crevices, around machinery, around containers of stored products and other areas wherever these insects may hide. Repeat as necessary.

SPACE SPRAY—Stored Sweet Potatoes: Use 1 gallon of this material per 100,000 cubic feet to control vinegar flies. Apply as a space spray with a mechanical or thermal generator. Apply only when flying insects are present. During periods of heavy infestation several applications may be necessary. Do not make more than 10 applications.

Not Review ed. Registrant claims to be in accordance with/ Re-registration of Pesticide Product Guidance for Phase 2 Response, Page 2.12. Antive to inert Change in Status.

Delta

Foremost^(R)

4806-ES

HI-POWER

FOOD PLANT INSECTICIDE

ACTIVE INGREDIENTS:

Pyrethrins	0.3%
*Piperonyl Butoxide, Technical	2.4%
INERT INGREDIENTS:	97.3%

100.0%

THIS PRODUCT CONTAINS THE INERT INGREDIENT, ALIPHATIC PETROLEUM HYDROCARBON.

*Equivalent to 1.92% (butylcarbityl) (6-propylpiperonyl) ether and 0.48% related compounds.

PYRENONE—Registered trademark of
Fairfield American Corporation.

SOLD FOR COMMERCIAL AND INDUSTRIAL PURPOSES ONLY.

CAUTION: KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautions.

Delta Foremost Chemical Corp.

NET CONTENTS:

3915 AIR PARK STREET, MEMPHIS, TENNESSEE 38130

Do not contaminate water, food
PESTICIDE STORAGE AND :
temperature. Avoid exposure to
soak up with an absorbent mate

PESTICIDE DISPOSAL: Pesticid
of according to label instruction

CONTAINER DISPOSAL: Triple
reconditioning, or puncture an
approved state and local proced

**PRECA
HAZARDS TO HU**

Harmful if swallowed or absorbe
mist. Avoid contact with skin an
or skin with plenty of water. C
swallowed do not induce vomiti

Do not apply directly to food.
remove any food and food proces
while food processing is under v
bakeries, and other food process
the facilities and equipment with
USDA acceptable detergent solu
all traces of contamination from
exposed food will be handled. A
covered during treatment or the

Remove pets and birds, and con

STATEMENT

If Swallowed: Contact a physici
vomiting unless directed by a ph
petroleum distillate. Vomiting i

If Inhaled: Remove affected pe
indicated.

If In Eyes or on Skin: Flush with
persists.

ENVIP

This product is toxic to fish. Do
water by cleaning of equipment
specified on this label.

Buyer assumes all risks of use,
accordance with directions give
EPA Reg. No. 1203-67