**ECHO** 

## FORMULA 20 P

## SANITIZER - DEODORIZER

Active Ingredients:

Sodium Dichloro (S) Triazine Frione \* Inert Ingredients:

22.0 %

78.0 %

\*Providing 13% Amailable Chlorine

CAUTION: Keep out of Reach of Children. Harmful if swallowed. Do not take internally. If accidentally swallowed, induce vomiting and call a physician. Do not mix with other chemicals. Avoid contamination of foodstuffs. Keep cover tightly closed when not in use.

Formula 20 P meets the requirements of Appendix F of the Milk Ordinance and Code as revised 12 March 1956, and 1953 recommendations of the U. S. Public Health Service when tested by the Chambers method.

> Manufactured by ECHO PRODUCTS COMPANY ATLANTA, GEORGIA

ACCEPTED

JUL 28 1967

UTIDER THE FEDERAL INSECTICIDE FUNGICIDE ATTO RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. ED UNDER NO 1/1/1. 34 SUBJECT TO AFFACHED COMMENTS.

## DIRECTIONS FOR USE

For Sanitizing Food and Beverage Equipment in Dairies, Breweries, Food Plants and Restaurants.

Rinse Equipment and Utensils immediately after use with clean water. Wash with recommended Echo product, rinse with clean water. Protect equipment and utensils from dust and dirt.

To Sanitize Pre-Cleaned Equipment and Utensils:
For Brushing or Circulating Sanitizing Solution through lines and tanks - make a solution using ½ oz. Formula 20 P in 5 gallons of water. (100 ppm). Circulate or brush on all surfaces making sure all surfaces are contacted by this solution.

For Immersing Utensils and Small Partsmake a solution using ½ oz. Formula 20P in 5 gallons of water
(100 ppm). Keep immersed for at least 2 minutes, drain and allow
to dry.

For Spraying Tanks, Vats and other equipment make a solution using 1½ oz. Formula 20 P in 5 gallons of water (250 ppm) and spray on all surfaces making sure the surfaces are thoroughly wet.

Do not rinse after sanitizing unless required by local health authorities, then use potable water.

For Deodorizing and Sanitizing Refrigerators, Walls, Floors, Cold Storage Rooms, Refuse Containers - brush or spray all surfaces with a solution of 2 oz. Formula 20 P in 5 gallons of water. Drain and allow to dry.

U.S.D.A. Registration No. -

Net Contents -

ACCE 1/28/67

FORMULA 2

SANITIZER - D

Active Ingredients:

Sodium Dichloro (S) Triazine r Inert Ingredients:

\*Providing 13% Available Chlori

CAUTION: Keep out of Reach of Chi
Do not take internally. If accide
and call a physician. Do not mix
contamination of foodstuffs. Keep
in use.

Formula 20 P meets the requirement Ordinance and Code as revised 12 M of the U. S. Public Health Service method.

Manufac ECHO PRODU ATLANTA,