


ACCEPTED
with conditions
in Dec. 1971
NOV 30 1971

Dolphin



FOGGER AND CONTACT SPRAY

For Use Only in Household/Industrial Buildings: Warehouses, office buildings, theatres, garages, hotels, motels, hospitals, kennels and food processing plants.

ACTIVE INGREDIENTS:

d-trans Allotrin (allyl homolog of Cismethrin)
*Piperonyl butoxide, technical
**M-octyl bicycloheptene dicarboximide
Petroleum distillate

*Equivalent to 0.400% (butylcyclohexyl)(6-propylpiperonyl) ether and 0.100% related compounds.
**MGR-264, Insecticide Synergist.

0.250%
0.500%
0.834%
98.416%

KEEP OUT OF REACH OF CHILDREN
CAUTION

Net Contents _____

Manufactured by:

DOLPHIN PRODUCTS
DIVISION OF BARTLETT CHEMICALS, INC.
NEW ORLEANS, LA. 70150

GLS? EQUIPMENT AVAILABLE

DIRECTIONS FOR USE

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

IN MISTING EQUIPMENT: Use spraying device similar to a Microsol machine or cold aerosol generators such as MICRO-GEN and LECO.

To Kill Flies, Mosquitoes, Small Flying Weths and Gnats: Close room, warehouse or other area to be treated and shut off all ventilating systems. Dispense this product as a fine mist. Use a dosage of one-half ounce to one fluid ounce per 1000 cubic feet of room space. Do not remain in treated areas. Leave room closed for 1/2 hour. Ventilate the area after treatment is completed. Repeat application as necessary for insect control.

IN PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS

To kill the listed insects, spray should be used as follows at a rate of 1 gallon per 1000 square feet of surface area.

To Kill Cockroaches, Ants and Crickets:

Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators and wherever these pests are suspected of hiding. To kill ants, treat doors, around window frames, ant trails and other areas of entry.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

All food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed. Do not apply when food processing is underway.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Do not store near heat or open flame.

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Container Disposal: a) Containers of 30 gallons or more - reuse container and offer for reconditioning, or:
b) All containers - triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place.

General: Consult Federal, State or local disposal authorities for approved alternative procedures.

In light of this information, the precautionary statement should be revised to read something like the following:

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in food processing plants, wash all equipment with potable water, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

- e. Refer to the enclosed "Pesticide & Container Disposal Sheet" for the appropriate wording.
- f. The flash point of this product must be furnished in the Confidential Statement of Formula.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Gee
Franklin D. R. Gee
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767) *(dhr)*

Enclosure