

# Industrial Chemical Laboratories, INC.

1015 NORTH FOURTEENTH STREET • OMAHA, NEBRASKA 68102

## DIRECTIONS:

**For Non-porous Surfaces:** Use 1½ ozs. D/S/D to each gallon of water for autoscrubbing of floors and other hard non-porous surfaces. Vacuum pickup may be used but do not rinse with fresh water, thus allowing full residual bacteriostatic effect of the product. If there has been a heavy soil and further rinsing is indicated, again add 1½ ozs. D/S/D to each gallon of rinse solution.

**For Porous Surfaces:** For surfaces such as concrete, rubber, cork use 3 ozs. D/S/D to each gallon of water. To clean, disinfect and deodorize walls, floors, operating rooms, equipment, bed frames, furniture and bedpans, use 1½ ozs. D/S/D per gallon of water. Apply with cloth, mop or sponge. In heavily soiled areas, we recommend a pre-cleaning step using 3 ozs. D/S/D per gallon of water, making sure the area is thoroughly saturated.

### USE DILUTION TEST AOAC:

Staphylococcus aureus ATCC #6538	1:85
Salmonella choleraesuis ATCC #10708	1:85
Pseudomonas aeruginosa ATCC #15442	1:85
Fungicidal against pathogenic fungi:	
Trichophyton interdigitale Strain #640	1:85

## DANGER: Keep Out of Reach of Children.

Causes eye damage and skin irritation. Do not get in eyes or on skin. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food. In case of contact with eyes or skin flush with plenty of water for at least 15 minutes. For eyes, get medical attention. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution. Call a physician immediately.

# D/S/D

DETERGENT/GERMICIDE/DEODORIZER  
STAPHYLOCIDAL/SALMONELICIDAL/PSEUDOMONICIDAL

## FOR INDUSTRIAL USE ONLY

Hospital and laboratory tested to control a wide spectrum of gram positive and gram-negative bacteria including antibiotic resistant **Staphylococcus aureus**. D/S/D is for use on floors—walls—operating rooms—equipment—bed frames—furniture—shower stalls—toilet rooms—bed pans.

### ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides	3.00%
n-Alkyl (50% C12, 30% C14, 17% C16, 3% C18)	
dimethyl ethylbenzyl ammonium chlorides	3.00%
Trisodium phosphate	3.50%
Total Active Ingredients	9.50%
INERT INGREDIENTS	90.50%
	Total 100.00%

Phenol Coefficient:	
Staphylococcus aureus	50
Salmonella typhosa	33

## FOR INDUSTRIAL USE ONLY

## DANGER:

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR OTHER PRECAUTIONS

EPA Reg. No. 1239-15

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER & DISCARD.

ACCEPTED

JAN 12 1973

FOR  
ED  
TO