

1239-15
PM-31

BEST AVAILABLE COPY

ACCEPTED

JUL 0 1 1987

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 1239-15

Hospital and laboratory tested to control a wide spectrum of gram positive and gram-negative bacteria including antibiotic resistant *Staphylococcus aureus*.

D/S/D is for use on floors — walls — operating rooms — equipment — bed frames — furniture — shower stalls — toilet rooms — bedpans.

**Precautionary Statements
Hazards to Humans and Domestic Animals
DANGER**

Keep out of reach of children. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STORAGE AND DISPOSAL

- STORAGE**
- Do not contaminate water, food or feed by storage or disposal.
 - Store in original container.
 - Keep containers closed when not in use.
 - Do not contaminate or mix with other cleaning compounds.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

PLASTIC:
Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

METAL:
Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

D/S/D

**DETERGENT / GERMICIDE / DEODORIZER
STAPHYLOCIDAL / SALMONELICIDAL / PSEUDOMONICIDAL**

ACTIVE INGREDIENTS:

n Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides..... 300%
n Alkyl (50% C12, 30% C14, 17% C16, 3% C18) dimethylethylbenzyl ammonium chlorides... 300%
Total Active Ingredients..... 600%

INERT INGREDIENTS..... 40.00%
TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

See left panel for additional precautionary statements.
EPA Reg. No. 1239-15 EPA est. 1239-Nb-1

Industrial Chemical Laboratories, Inc.
1018 North 14 Street • Omaha, NE 68102 Telephone (402) 342-4248

DIRECTIONS:

For Non-porous Surfaces: Use 1½ ozs. D/S/D to each gallon of water for autoscrubbing of floors and other hard nonporous surfaces. Vacuum pickup may be used but do not rinse with fresh water, thus allowing full residual bacteriostatic effect of the product. If there has been a heavy soil and further rinsing is indicated, again add 1½ ozs. D/S/D to each gallon of rinse solution.

For Porous Surfaces: For surfaces such as concrete, rubber, cork use 3 ozs. D/S/D to each gallon of water. To clean, disinfect and deodorize walls, floors, operating rooms, equipment, bed frames, furniture and bedpans, use 1½ ozs. D/S/D per gallon of water. Apply with cloth, mop or sponge. In heavily soiled areas, we recommend a precleaning step using 3 ozs. D/S/D per gallon of water, making sure the area is thoroughly saturated.

USE DILUTION TEST AOAC:

Staphylococcus aureus ATCC No. 6538..... 1:85
Salmonella choleraesuis ATCC No. 10708..... 1:85
Pseudomonas aeruginosa ATCC No. 15442..... 1:85
Fungicidal against pathogenic fungi:
Trichophyton Interdigitale Strain No. 840..... 1:85

Phenol Coefficient:
Staphylococcus aureus.....50
Salmonella typhosa.....33

FOR INDUSTRIAL USE ONLY