


FOR HOSPITAL, NURSING HOME AND INDUSTRIAL USE

DIRECTIONS: To clean, disinfect and deodorize walls, floors, bed frames and metal cabinets, use 2 ozs. of **NEW D/S/D** per gallon of water. Apply with cloth, mop or sponge.

When disinfecting food contact areas such as stoves, refrigerators and food storage rooms, follow same procedure as above except rinse with clear water before replacing foodstuffs.

In areas where heavy accumulations of soils have built up, it is recommended that a pre-cleaning step be used. For pre-cleaning, use 4 ozs. **NEW D/S/D** per gallon of water.



Industrial

NEW D/S/D

Disinfectant/Sanitizer/Deodorizer
— Viralcidal —

NEW D/S/D is a balanced formula designed to clean and disinfect in one easy operation.

NEW D/S/D is for use on environmental surfaces such as floors, walls, bed frames and metal cabinets. It will not harm painted surfaces or resilient tile flooring.

NEW D/S/D is not an odor masking agent but an odor neutralizing agent. It is designed to counteract odors that are anionic in nature.

NEW D/S/D is specifically designed for use in hospitals, nursing homes, schools, clinics and in similar environments where the hazards of cross-contamination by environmental surfaces is prevalent.

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	2.25%
Sodium carbonate	3.00%
TOTAL ACTIVES	7.50%

INERT INGREDIENTS: 92.50%

WARNING!
KEEP OUT OF REACH OF CHILDREN.

See side panel for additional warnings.
EPA Reg. No. 1239-25

Manufactured by



1010 NORTH FOURTEENTH STREET • OMAHA 2, NEBRASKA

(USE DILUTION TEST (AOAC))

Staphylococcus aureus
ATCC #65381:64

Salmonella choleraesuis
ATCC #107081:64

Pseudomonas aeruginosa
ATCC #154421:64

NEW D/S/D also kills the following viruses:

- Herpes simplex
- Influenza type A2
- Adeno virus type 2
- Vaccinia virus

In Use-Dilution, **NEW D/S/D** is non-corrosive.

WARNING!

Keep out of reach of children.

Causes severe eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of foodstuffs.

FIRST AID: In case of contact, immediately flush eyes or skin with large amounts of water for at least 15 minutes. For eyes, call a physician.

If swallowed, give milk, raw egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

Rinse empty container thoroughly with water and discard it.