

Ultra-Quat is formulated to clean and disinfect hard, non-porous surfaces, reducing the hazard of cross-contamination, a major concern of housekeeping personnel in hospitals, nursing care centers, schools, institutions and industry.

When used as directed, Ultra-Quat is effective against a broad spectrum of bacteria, inhibits the growth of mold and is virucidal* and fungicidal. Ultra-quat is effective against odors when used as directed.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

BEST DOCUMENT AVAILABLE

ACCEPTED
with COMMENTS
In EPA Reg. No. 1239-1
AUG 20 1984
EPA Reg. No. 1239-43

ULTRA-QUAT
DISINFECTANT/CLEANER/SANITIZER/FUNGICIDE/MILDEWSTAT
VIRUCIDE* - DEODORIZER

Active Ingredients

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	4.50%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	4.50%
<u>Inert Ingredients</u>	91.00%

Total 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contra-indicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No.

EPA Est. No.1239-Nb-1

FOR SALE TO, USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY.



It is a violation of Federal law to sell, distribute, or use this product with its labeling.

Ultra-Quat has been tested and proven effective as a heavy duty disinfectant, cleaner, fungicide, mildewstat, deodorizer and virucide*. Efficacy tests have proven Ultra-Quat to be an effective bactericide, fungicide and virucide* in the presence of organic soil (5% blood serum). Tests also proved Ultra-Quat to be an effective sanitizer in water up to 250 ppm hardness at the recommended use dilution levels.

DISINFECTING: For HOSPITAL USE on hard, non-porous surfaces, dilute Ultra-Quat at 1 oz. per gallon of water. Apply Ultra-Quat solution to floors, walls, tables, chairs, sinks, bedframes, countertops and other hard inanimate non-porous environmental surfaces such as tile and porcelain with a cloth, mop or mechanical spray device, thoroughly wetting the surfaces. Treated surfaces must remain wet for 10 minutes, and allowed to air dry. Heavily soiled surfaces require preliminary cleaning to remove excess soil. Prepare fresh solution daily or when solution become visibly dirty. At this dilution, Ultra-Quat is virucidal*, fungicidal and mildewstatic.

Pseudomonas aeruginosa
Staphylococcus aureus
Streptococcus salivarius
Shigella dysenteriae

Klebsiella pneumoniae
Salmonella choleraesuis
Brevibacterium ammoniagenes
Enterobacter aerogenes

Escherichia coli
Salmonella schottmuelleri
Streptococcus faecalis

SANITIZING: Use Ultra-Quat at 1 oz. per 3-1/2 gallons of water to sanitize hard non-porous food contact surfaces. For sanitizing hard non-porous food contact surfaces, apply properly diluted solution to previously cleaned and rinsed surfaces with a cloth or sponge, or flood the surface, wetting thoroughly for at least 60 seconds. RINSE THOROUGHLY WITH POTABLE WATER.

To sanitize mobile items such as drinking glasses and eating utensils, completely immerse in a 1 oz. Ultra-Quat per 3-1/2 gallons of water solution for at least 60 seconds. REMOVE and RINSE THOROUGHLY WITH POTABLE WATER. Prepare a fresh solution daily or more frequently as soil is apparent.

MOLD and MILDEW CONTROL: At 1 oz. per gallon of water, Ultra-Quat inhibits the growth of mild and mildew and the odors caused by them, when applied to hard non-porous surfaces (as indicated in general instructions above). Thoroughly wet surfaces, allow solution to dry on surfaces, and repeat application at weekly intervals or when mildew growth returns.

***VIRUCIDAL ACTIVITY:** Used at 1 oz. per gallon of water, Ultra-Quat is effective against Influenza A₂/Asian, Herpes simplex, Adeno virus type 2 and Vaccinia virus on hard inanimate non-porous environmental surfaces.

AOAC FUNGICIDAL TEST: Ultra-Quat is effective against Trichophyton mentagrophytes (The Athlete's Foot fungus) when used on hard, non-porous surfaces in locker rooms, dressing rooms, exercise facilities, shower and bath areas.

Industrial Chemical Laboratories, Inc. warrants only that its products conform to the descriptive information on the label and that the products are reasonably fit for the uses described on the label when used in accordance with the directions for use.

Industrial Chemical Laboratories, Inc. makes no express or implied warranty of fitness or merchantability, or of any other express or implied warranty and shall not be liable for consequential damages resulting from the use of its products.

ACCEPTED
with conditions
MILLER

AG 320

1239-43

MANUFACTURED BY

Industrial
Chemical Laboratories, INC.

1815 North 16 Street Omaha, Nebraska 68102
(402) 342-4248

BEST DOCUMENT AVAILABLE

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (771-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	20 AUG 1984
	NAME OF PESTICIDE PRODUCT	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
<p style="text-align: center;">[Faint, illegible text]</p>		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
<p style="text-align: center;">[Faint, illegible text]</p>		
BEST DOCUMENT AVAILABLE		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE