

PM3

1239-54

10/3

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 1239-54	DATE OF ISSUANCE OCT 03 1988
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
NAME OF PESTICIDE PRODUCT Sani-Ste;		

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Industrial Chemical Laboratories, Inc.
 1615 North 16th Street
 Omaha, NE 68102

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration, reregistration, or your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes that FIFRA requires you to make to your product label.
3. Add to phrase "EPA Registration No. 1239-54"
4. Include the statement:
 Warning against circulatory system toxicity
 depression and convulsion may be caused.
5. Print a reminder that you should not use this product if the front label is missing.

REST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: _____ DATE: _____

PM31

1239-54

2 of 3

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (TS-767C)

Enclosures

ACCEPTED
with COMMENTS
in EPA Letter # 1239-54
OCT 03 1988

SANI-STEP

Sanitizer-Deodorizer
with Organic Soil Tolerance
For Institutional, Industrial, School,
Food Handling and Processing Areas,
Restaurant and Dairy Use

Active Ingredients

Octyl decyl dimethyl ammonium chloride	0.5625%
Didecyl dimethyl ammonium chloride	0.2812%
Diocetyl dimethyl ammonium chloride	0.2812%
Alkyl (C ₁₄ 50%, C ₁₂ 40%, C ₁₆ 10%) dimethyl benzyl ammonium chloride	0.7500%
Inert Ingredients	98.1251%
	100.0000%

EPA Reg. No. 1239-

EPA Est.No. 1239-NB-1

KEEP OUT OF REACH OF CHILDREN
DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

See side panels for additional precautionary statements.

Manufactured by:



INDUSTRIAL CHEMICAL LABORATORIES, INC.

1015 NORTH 14TH STREET • OMAHA, NEBRASKA 68102

(402) 342-4248 • (800) 877-7200

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Sanitizing of Food Processing Equipment and Other Hard Surfaces
Food Contact Locations. For sanitizing food processing equipment,
dairy equipment, food utensils, dishes, silverware, glasses,
cups, countertops, refrigerated storage and display equipment,
other hard non-porous surfaces. No potable water rinse is required.

Wash and rinse all articles thoroughly, then apply a solution of
(1) oz. Sani-Step in one (1) gallon of water (150 ppm active ingredient).
Surfaces should remain wet for at least one minute followed by
adequate draining and air drying. Fresh solution should be used
daily or when the use solution becomes visibly dirty. For most
applications, use solution may not be reused for sanitizing
applications.

Apply to sink tops, countertops, refrigerated storage and display
equipment and other stationary hard surfaces by cloth or brush or
mechanical spray device. No potable water rinse is required.

Dishes, silverware, glasses, cooking utensils and other similar
food processing equipment can be sanitized by immersion in a
gallon solution of Sani-Step. No potable water rinse is required.

At 1 oz. per gallon, Sani-Step fulfills the criteria of Appendix A of
the Grade "A" Pasteurized Milk Ordinances 1978 Recommendation
U.S. Public Health Services in waters up to 800 ppm of hardness
calculated as CaCO₃ when evaluated by the AOAC Germicidal and
Detergent Sanitizer Method against Escherichia coli and Staphylococcus
aureus.

U.S. PUBLIC HEALTH SERVICE FOOD SERVICE SANITIZATION RECOMMENDATIONS

- Cleaning and Sanitizing:
- Equipment and utensils shall be thoroughly preflushed or pre-rinsed
and when necessary, presoaked to remove gross food particles.
1. Thoroughly wash equipment and utensils in a hot detergent solution.
 2. Rinse utensils and equipment thoroughly with clean water.
 3. Sanitize equipment and utensils by immersion in a 1 oz. per gallon solution of Sani-Step (150 ppm active) for at least 60 seconds at a temperature of 75°F. This dilution is equivalent to a solution containing 50 ppm available chlorine.
 4. For equipment and utensils too large to sanitize by immersion, apply a 2 oz. per gallon solution of Sani-Step (300 ppm active) by rinsing, spraying or swabbing until thoroughly wetted.
 5. Allow sanitized surface to drain and air dry. Do not rinse.

1239-54